

Chemical Publishing Company
chemical-publishing.com

The following pages contain the table of contents,
index and first few sample pages of this title
[Click here to purchase this title](#)
or to visit the product page.

*Handbook of
Perfumes and Flavors*

By

Dr. Olindo Secondini

Chemical Publishing Co., Inc.
New York, NY

© 1990

Chemical Publishing Co., Inc.

ISBN 0-8206-0334-1

Printed in the United States of America

To my wife, Ann Katya

The Author

Dr. Olindo Secondini has worked in the fields of Essential Oils, Flavors, Perfumes, Cosmetics, Toiletries, and Aromatic Chemicals in the United States, Europe, Latin America, Africa, and the Middle East. He has also taught Chemistry and Chemical Engineering at several universities.

Dr. Secondini has published in various languages, particularly in Spanish with the leading newspaper “El Imparcial” of Guatemala, Central America, where he worked on research and development of natural resources.

He is a Fellow of the American Institute of Chemists.

First Foreword

By Paul B. Slawter, Jr. FAIC
Former Executive Secretary, The American Institute of Chemists
Former Editor, The Chemist

Some years ago, Dr. Olindo Secondini brought me a manuscript to consider for a publication of which I was an editor, "The Chemist," official organ of The American Institute of Chemists. Dr. Secondini was an experienced chemist in the field of essential oils, flavors, perfumes, cosmetics, toiletries, and aromatic chemicals.

I was fascinated by his story and published it in the next issue. It had a somewhat whimsical title, "Is our Sense of Scent Lost?"

The article must have made a lot of sense because we had more editorial reaction to it than to any article I had published in 60 issues over a five-year span. Dr. David W. Young, a noted American scientist, then President of the AIC, said it was the best he had ever read on this interesting subject. Several essential oil companies ordered extra copies for distribution.

Recently, Dr. Secondini brought me another manuscript, this time a formidable tome on flavors and perfumes. I must say: *This is the best* I have ever read on these interesting subjects. Dr. Secondini is to be congratulated by the likes of me and thanked by the likes of people in the business of essential oils and related materials for providing what has to be the last word on the compounding of flavors and perfumes. His entire book should be subtitled "The Gamut of Flavors and Perfumes from A to Z."

As one peruses this volume, from the history of perfumes and cosmetics to the constituents of the essential oils so important to the industry, one gets the feeling that everything, which means anything to a flavorist or a perfumer, is here for the reading.

Today, there is increased interest and awareness on the part of the general public in flavors and perfumes, which, like food and clothing, are growth industries with unlimited futures. Dr. Secondini shows how the level of production is now sufficiently large to make flavors and perfumes a most important factor in American economy and resource planning.

Its 474 pages make the publication more than a handbook for practical formulation of flavors and perfumes. It is truly a workbook of inestimable value for an industry with no place to go but upward.

Second Foreword

By Donald A. Davis

Editor, Drug & Cosmetic Industry (magazine)

There haven't been nearly enough additions to the sparse body of technical books about perfuming and flavor materials over the past two decades, though the technological advances in this area have been remarkable. In fact, it was almost as though the late Steffen Arctander had a monopoly on the subject during his long and productive lifetime. That said, it is good to have this contribution from Dr. Olindo Secondini, who has had a varied career in academia, in industry, and even in medicine.

This is far more than a simple handbook for perfumer or chemist or research worker in the field. Besides giving a comprehensive outline of each essential oil, aromatic, flavor, and fixative, it breaks down the physical and chemical character of natural materials. What is more, it provides valuable clues for the compounding or manufacture of a wide range of synthetic versions of those increasingly scarce, sometimes unbelievably expensive derivatives from rare animals or plants that grow only in remote jungles or savannahs. There is little chaff here, Dr. Secondini staying throughout with what he originally set out to do. The prediction from this quarter is that this will become a standard reference work, and remain one for years until someone equally ambitious undertakes to do another 30 or 40 years hence. One interesting addition not usually seen in such a book is a small section suggesting new kinds of perfumes, some oriented toward fragrances far different than are encountered in any now on the market. Such targets of opportunity seem worthy of attention by some innovative compounder—and reflect well on the author's imagination.

Third Foreword

By David W. Young, Sc.D., P.E.
Vice President, Young & Kather Associates, Inc.
Member of Board of Directors, ACC&CE

This book is based on a fresh approach to the analysis and interpretation of odor evaluation tests. Utilizing his years of experience, observation, and personal judgment, the author presents new insights and attitudes regarding the nature and method of odor evaluation testing. Dr. Secondini published a similar article in "The Chemist," the official publication of the AIC.

This book is strictly practical while at the same time provides indispensable technical and scientific details. The book presents important information for all. The chemist will require this work as well as the student of chemistry. It is a fresh theme in the area of industrial chemistry.

I strongly recommend this book to anyone involved in the application of odors for commercial use.

Fourth Foreword

By Annette Green, Executive Director, The Fragrance Foundation

In the last twenty-five years, the universe of olfaction has expanded beyond anyone's imagination and the pleasures of fragrance, in particular, have captured the minds and hearts of people in every culture, every environment, every social level.

As we enter an even more highly developed technological decade, it becomes increasingly clear that many of the challenges we will all face will call on a completely new mindset in interpreting sensory needs and providing a vast range of experiences which will be resolved through sensory experiences.

It has never been more imperative to provide scientists, students, perfumers, and scholars with the most effective and authoritative tools. They must not only provide the broadest possible perspectives of the extremely complex field of fragrance creation (historically, culturally, scientifically), but also create an environment for higher consciousness and creativity.

I believe Dr. Secondini has accomplished this monumental feat in his extraordinary work which is represented in this volume. I salute him and thank him for his masterful contribution to the world of fragrance and the sensory lives of societies of the future.

Preface

In line with the human necessities, flavors and perfumes, like the food and clothing industries, are omnipresent and fast growing.

The correlated literature, however, although necessary for bringing up-to-date information for research and development, is comparatively slow and rather scarce. Even educational institutions are still not interested in giving courses in this important field of daily consumption comprehending biological, botanical, and chemical sciences.

This book provides a general orientation to the subject and information on the compounding of basic flavors for food and floral perfumes for personal use, for cosmetics, soaps, disinfectants, deodorants, and antipollutants. All are concisely described in the 995 formulas of perfumes and flavors and the related material reported in this book.

Regardless of scientific and technical education, or experience in this field, this book can contribute to the necessary knowledge for the compounding of any flavor or perfume. However, since the perception of taste and odor is intrinsically individual, a creative technique is indispensable for improving and expanding on this very fascinating industrial activity.

The author, who has many years of practical experience in this field, gratefully acknowledges and thanks the authors of the very valuable books listed in the bibliography, which have amply helped in the compilation of this book.

Olindo Secondini

Explanatory Notes

1. CLASSIFICATION OF FORMULAS

The formulas, as reported in this book, are classified in four categories:

1. *Essences*: Compounds made with natural products, such as Essential Oils, Balsams, Resinoids
2. *Extracts*: Made from barks, roots, leaves, seeds, buds, fruits, flowers, in their natural state.
3. *Imitation*: A mixture of essences, extracts, and esters in prevalence.
4. *Synthetics*: A duplication of the natural product, made generally with a combination of esters. Esters are fragrant compounds formed by the reaction between an acid and an alcohol. For example, ethyl acetate is made by heating acetic acid and ethyl alcohol in the presence of sulfuric acid and distilling. The synthetic formula, when there is more than one of the same species, has a progressive number.

2. COMPOSITION

All the formulas are of a general orientative nature. It remains exclusively to the compounder to improve each one, either reducing, increasing, or modifying the components in each formula, in accordance with his taste and olfactory stimulus. Good flavors, or perfumes, are not derived from the best formulas. The success, in compounding the ingredients (which must be excellent in taste and odor) depends on the sense of taste and scent of the compounder.

3. TURBIDITY

The ingredients must be blended thoroughly and totally clear in an absolute pure and odorless solvent such as ethyl alcohol 95% from grain, propylene glycol, neutral glycerin, distilled water, and other solvents. Many of the formulas will probably give turbidity in their compounding. This can be eliminated, or at least reduced, by increasing the amount of solvent, or by repeated filtration.

4. UNSPECIFIED UNITS FOR WEIGHTS, VOLUMES, OR PERCENTAGES

The unit measures in the manufacture of synthetic aromatic basic material, or formulas

for flavors and perfumes, could either be in kilograms, if the material is solid, or liters, if the material is liquid.

The amount of 1000, for instance, with unspecified unit, could be either 1000 kilograms or 1000 grams (1 kilogram); or 1000 liters or 1000 milliliters (1 liter).

As standard practice in the use of all components no units are specified. The same chosen unit must be applied to all items in the required material or formulas.

Example:

1.	Distilled Water	1000
2.	Ethyl Alcohol	1000
3.	Sugar	500

In this case, because the units are unspecified, all components are measured by weight, which will be either in kilograms or grams. The formula must therefore be understood as:

1.	Distilled Water	1000 grams
2.	Ethyl Alcohol	1000 grams
3.	Sugar	500 grams

The unspecified units facilitate any system of measure, particularly those of foreign countries. Therefore, the unspecified amount could be: kilograms, grams, liters, milliliters, ounces, etc.

In this book all unspecified amounts must be understood as *parts by weight*.

5. USES OF THE FORMULAS FOR ESSENCES

The amount of any formulas, to be basically employed in making essences, is in the proportion of 2 or 3 parts (2 or 3 grams \times 1 kilogram (1000 grams) of solvent).

6. CONCRETE, ABSOLUTE, RESINOID

Concrete—a waxy solid obtained from roses by extraction without solvents, or after removing the solvent; the essential oil. Absolute—free from admixture with other substances, e.g., absolute alcohol which is dehydrated as ethyl alcohol 99% pure. Resinoid—any thermosetting synthetic natural, vegetable-derived resin. The best known are rosin and balsam from coniferous trees. Their use is in varnishes and adhesives.

7. TINCTURES

Tincture—an alcoholic or aqueous-alcoholic solution of vegetable material.

All tinctures are made by maceration, stirring every day for one hour, until total dissolution is obtained in flavor and odor (approximately one week) and filtering at the end until completely clear.

8. UNSPECIFIED NATURAL PRODUCTS (OIL OR CONCRETE)

When a natural product, such as carnation, gardenia, etc. is not specified, either as an oil or concrete, it refers to its imitation or synthetic formula reported in the book.

9. COLORS

In coloring flavors or perfumes, only certified colors or the natural, legally exempted from certification colors must be used. The color must be added before filtration, which is necessary even if the product appears clear.

10. TEMPERATURE

The temperature is in Centigrade ($^{\circ}\text{C}$), with the exception of flash point TCC (Tagliabue Closed Cup) given in Fahrenheit ($^{\circ}\text{F}$). Specific gravity is given at 25/ 25°C . Refractive index and optical rotation are at 20°C . Different temperatures are specified in parenthesis.

11. SOLUBILITY

Number refers to the amount of alcohol, or other solvent, needed to dissolve the material. Example 2/70% means two volumes of alcohol at 70%; 3/80% means three volumes of alcohol at 80%; 2-8/70% means that the volume of alcohol may be from two to eight volumes at 70%.

12. FORM OF THE MATERIAL

If it is not liquid, a specification is given either as a powder, crystals, etc.

13. HABITAT

When the habitat is not specified, worldwide existence is assumed.

14. SOLUTION

When not specified, the solvent for solutions is ethyl alcohol 95%.

15. NATURAL PRODUCTS

For natural products, when particular parts, e.g., oil, concrete, bark, flowers, leaves, resinoid, roots, tops are not specified, they must be used in their total natural state.

16. CAS NUMBERS

Wherever possible, the American Chemical Society's Chemical Abstract Service (CAS) registry numbers have been included to facilitate accurate identification of a given chemical substance.

17. ABBREVIATIONS

C	degrees Centigrade
cc	cubic centimeter
CC	closed cup
cl	centiliter
cml	centimilliliter
EDTA	ethylene diamine tetraacetate
F	degrees Fahrenheit
FDA	Food and Drug Administration
g	gram
gal	gallon
h	hour
kg	kilogram
l	liter
max	maximum
min	minimum, minutes
ml	milliliter
OC	open cup
sol'n	solution
TCC	Tagliabue Closed Cup
>	greater than

NOTICE

Neither the author nor the publisher assumes any liability with reference to the use, applications, or for damages resulting from the use, any information, apparatus, methods, or processes described in this book.

Table of Contents

	Forewords	v
	Preface	ix
	Explanatory Notes	x
I	Odors	1
	Introduction	1
	Historical Classification of Odors	4
	Subjective Classification of Odors	12
	General Classification of Odorous Substances	13
II	Natural Essences	17
	Introduction	17
	Constituents of the Essential Oils	20
	Essential Oils Directory	24
III	Synthetic Essences	74
	Introduction	74
	Materials Employed as Odorants	75
	Chemical Components of Flavors and Perfumes	77
IV	Aromatic Chemicals	132
	Aromatic Chemicals Used in Flavor and Perfume Compounds	132
V	Perfumes	157
	Natural Odors Simulated with Aromatic Chemicals	157
	Simulated Flower Scents	159
	Simulated Marine Scents (Algae)	171
	Suggested New Perfumes	172
	Fixatives for Perfumes	173
VI	Basic Flavoring Materials	174
	Introduction	174
	Natural Flavors Simulated with Synthetic Chemicals	175
	Aromatic Chemicals Used in Flavor Compounding	195
VII	Solvents	209
	Introduction	209
	Solvents Commonly Used for Flavors and Perfumes	209

VIII	Colorants for Flavors and Perfumes	214
	Natural Colors	214
	Colors of Common Flavors and Perfumes	219
IX	Stabilizers	221
X	Formulary of Perfumes	225
XI	Formulary of Flavors	263
XII	Chemical Specifications for Perfume and Flavor Components	374
XIII	Botanical References for the Formulary	414
	Appendix: List of Unsafe Materials Used in Perfume and Flavor Manufacture	440
	Bibliography and References	444
	Index	446

Chapter I:

ODORS

Introduction

*“The Rose distills a healing balm
The beating pulse of pain to calm”*

—Alexander Farkas

From early Spring to late Fall, scent is all around us, particularly in the Southern states, where plants are more extensively flowering and where Spring starts earlier and Fall lasts longer. The color of all these flowers, in their beautiful multivariety, is overwhelming. But very few people will probably pay any attention to their odors.

Paradoxically, even though odors—currently called perfumes—are extensively used by almost everyone, either applying them directly to the body, or indirectly through the use of soaps, creams, powders, detergents, etc., the human sense of smell has degenerated during the last centuries, and is in danger of being lost.

The impact of pollution has already had a deleterious effect, beginning during the Industrial Revolution when people started to desert farms and countryside in order to find work in the growing factories and continuing through this century with the evolution of mechanical transportation. Our cities are now filthy with smoke of factories and exhaust from cars. Parks and countrysides smell of pesticides and chemical fertilizers. Highways offend our sight and nose with the bodies of innocent animals killed by our crushing transportation.

The first men who populated our planet certainly had a better sense of smell, as wild animals still have. Early man had to use primarily smell and taste in order to investigate what kind of food he could use for his nourishment. Forced to select organic materials which could be poisonous, putrefied, and so forth, the nose was the master guide with the sense of taste as supervisor.

Until the beginning of this century, flowers and herbs were still collected for their scent and aroma, and preserved in order to be used during the nonflowering seasons. Cities had herbal shops for this purpose, and druggists and pharmacists stored them in their laboratories. Since the beginning of civilization men of science and lovers of nature have attempted to distinguish and classify odors. A fundamental classification of odors is reported throughout history.

HANDBOOK OF PERFUMES AND FLAVORS

EARLY HISTORY OF PERFUMES

Early in the history of humanity it appears that men burned various kinds of woods for warmth and light during the nights and cold winter seasons. Thus, they accidentally discovered the pleasant smell of the smoke that drifted through the air over the flames from some of the naturally perfumed woods. The French name “parfum” comes from the Latin preposition “per” meaning *through* and the substantive “fumus” meaning *smoke*.

Primitive men also accidentally discovered that putting resinous wood in water made it oily and odorous. Rubbing the body with the resinous material produced a feeling of pleasure by improving their body odor and protecting their skin. The development of perfumes, therefore, can be traced as far back as the beginning of the history of humanity.

Perfumes have been found in the Egyptian pharaohs’ tombs. The Ebers’ papyrus, which refers to the beginning of recorded history in the Nile Valley, contains formulas in which botanicals, minerals, and animal products were employed. They are still utilized today in the manufacture of perfumes.

Ancient Greeks and Romans learned from the Egyptians. For many centuries perfumes remained an exclusive oriental art. During the period of the Crusades in the early decades of the thirteenth century, perfumes were brought from Palestine to Europe. Trade in spices followed.

In the 1500’s perfumes became popular through those made by a certain René, a perfumer from Florence, Italy. René travelled to France with Catherine de Medicis when she went to marry Prince Henry, who later became Henry II of France.

HISTORY OF THE WATER COLOGNE

The perfume which rapidly became the most popular was “Eau de Cologne.” The name derives from the fact that the product was initially made in the city of Cologne (Köln), Germany, on the Rhine river, in the early 1700’s.

It was first prepared in the town of Cologne by Jean Marie Farina. He was born in Italy in the town of Saint Marie Major, and went to Cologne to trade perfumes. He first prepared this very famous composition in 1709. It is known, however, that the “Eau de Cologne” was first marketed by Paul de Feminis in Milan, Italy, and it was afterwards made in Cologne from 1690. The formula was then passed to his nephew Jan Antoine Farine, who started manufacturing it in Paris in 1806.

The popularity of “Eau de Cologne” since the early 18th century is due to its fresh and clean smell. Many manufacturers in Cologne and elsewhere have continued its trade worldwide. It has perpetuated as a standard type of a lightly refreshing scent. It is a water-alcohol solution of a concentrated citrus essence prevalently extracted from lemon, bergamot, orange flowers, and blended with some lavender and orris roots, with traces of benzoin as a fixative. The finest “Eau de Cologne” is produced by distilling pure ethyl alcohol with the previously mentioned ingredients. Some neroli is further added. The distillate is then left to mature for at least one year.

ODORS

THE PERFUME INDUSTRY

Alexander Farkas, in the introduction to his book *Perfume Through the Ages*, says:

“The perfume industry is perhaps the most romantic of all industries.”

It is indeed true that the perfume industry, even from the chemical point of view, is the most fascinating.

The art of blending natural essences and synthetic odorants to obtain a stable, odoriferous alcohol solution embraces all kinds of organic chemicals, and more extensively than in any other branch of the chemical industry. The psychological influence of a perfume determines its appeal for the customer, and thus its success. Today, all kinds of papers are perfumed to improve their salability. Perfumed merchandise is preferred, and outsells its odorless counterpart by a large margin.

The products of the perfume industry are classified as:

1. Gaseous: Aerosols
2. Liquids: Lotions, Perfumes
3. Pastes: Creams, Toothpastes
4. Solids: Soaps, Powders

THE COSMETICS INDUSTRY

Cosmetics are preparations applied to the surface of the body for the purpose of enhancing its appearance. Cosmetic products aid the whole human body—face, hair, teeth, hands, feet—with the triple purpose of preserving, restoring, or simulating beauty. In a larger sense, cosmetics are products of perfumery. Perfumes of natural origin, such as essential oils, and of synthetic production are usually employed in cosmetics. Cosmetics are liquids, solids, creams, pastes, and powders.

Cosmetics can be generally classified as:

1. Cutaneous cosmetics: Lipsticks, creams, soaps, toilet water
2. Capillary cosmetics: Brilliantines, shampoos, depilatories
3. Dental cosmetics: Toothpastes, liquids, powders

In accordance with their specific properties and intended application, cosmetics may be classified in various categories:

1. Creams
2. Lotions
3. Eye makeup and other eye preparations
4. Lipsticks and other lip preparations
5. Nail preparations
6. Face and body makeup
7. Perfumes and scented preparations
8. Bath preparations
9. Skin cleanser and other skin preparations

HANDBOOK OF PERFUMES AND FLAVORS

10. Shampoo and hair rinses
11. Hair preparations
12. Depilatories
13. Shaving preparations
14. Deodorants and antiperspirants
15. Suntan preparations
16. Miscellaneous: rubbing alcohols, mouthwashes, toothpastes, tooth powders, denture cleaners, face and body powders.

Historical Classification of Odors

CLASSIFICATION OF ARISTOTLE (384–322 B.C.)

The Greek philosopher Aristotle, the greatest influential thinker of Western culture, was the first to classify odors.

He classified odors in six groups in accordance with the sensations:

1. Sweet odors
2. Acid odors
3. Severe odors
4. Fatty odors
5. Sour odors
6. Fetid odors

CLASSIFICATION OF LINNAEUS (1707–1778)

Linnaeus, the celebrated Swedish botanist, based his odor classification on seven groups:

1. Aromatic odors: Clove, laurel
2. Fragrant odors: Jasmine, lily
3. Ambrosiac odors: Moss, amber
4. Alliaceous odors: Garlic, asafoetida
5. Fetid odors: Valerian
6. Repulsive odors: Solanaceous
67. Distusting odors: Hellebore

Many others have attempted to classify odors, but very few have achieved a passable classification.

CLASSIFICATION OF FOURCROY (1755–1809)

Antoine Francois Fourcroy, a French chemist and politician, founded the French Museum of Natural Sciences, and with Antoine Laurent Lavoisier and C.I. Bertholett, the

INDEX

- Abbey, Benedictine, flavor formula, 264
Abies alba, 43, 65
 A. siberica, 43
Absinthe, 414
 flavor formula, 264
Absolute alcohol, 385
Acacia (*Acacia*), 159, 414
 A. decurrens, 52
 A. farnesiana, 33
 A. greggii, 159, 414
 A. senegal, 221
 gum, 221
 perfume formula, 225
Acer (maple)
 A. macrophyllum, 186, 428
 A. palmatum, 186
 A. pennsylvanicum, 186, 428
 A. platanoides, 186
 A. pseudoplatanus, 186
 A. rubrum, 186, 428
 A. saccharinum, 186, 428
 A. spicatum, 186, 428
Acetaldehyde, 77, 374
Acetate, 75
Acetate C-8, 77, 206, 375
Acetate C-9, 77, 375
Acetate C-10, 77, 197, 375
Acetate C-11, 78, 375
Acetate C-12, 78, 375
Acetate PA, 78
Aceteugenol, 103
Acetic acid benzyl ester, 134, 379
Acetic acid butyl ester, 381
Acetic acid *p*-cresol acetate, 142
Acetic acid ethyl ester, 211, 385
Acetic acid *n*-propyl ester, 409
Acetic acid phenyl ester, 407
Acetic acid phenyl methyl ester, 89, 134, 379
Acetic acid, tincture, perfume formula, 226
Acetic aldehyde, 77, 374
Acetic ester, 211, 385
Acetic ether, 211, 385
Acetic glacial, pure, 78
Acetoacetic acid ethyl ester, 385
Acetoacetic ester, 100, 385
1' and 2'-Acetonaphthone, 406
 α and β -Acetonaphthylene, 406
Acetone, 209
Acetophenone, 79, 132
Acetylbenzene, 132
Acetyl-*p*-cresol, 142
Acetyl eugenol, 103
Acetylphenol, 407
Acid, 21, 22, 76
Acid anhydrides, 22
Acorus calamus, 31, 418
Adonis quinquefolia, 172
Advocaat, flavor formula, 264
Aether nitricus, 389
 oenanthicus, 389
Agar-agar, 221
Agaric, 414
Agaricus campestris, 414, 423
Alcohol, 21, 76, 385
Alcohol C-7, 79
Alcohol C-8, 79, 206
Alcohol C-9, 79, 205
Alcohol C-10, 80, 197
Alcohol C-11 (undecylenic), 80, 347
Alcohol C-11 (undecylic), 80
Alcohol C-12, 80
Alcohol C-16, 81
Aldehyde, 22, 76, 374
Aldehyde B, 143
Aldehyde C-7, 81, 201
Aldehyde C-8, 81, 206
Aldehyde C-9, 81, 205
Aldehyde C-10, 82, 198, 382
Aldehyde C-11, 208
Aldehyde C-11 (undecylenic), 82
Aldehyde C-11 (undecylic), 82
Aldehyde C-12 (lauric), 82, 399

INDEX

- Aldehyde C-12 (MNA), 83, 198, 204
 Aldehyde C-14, 208
 Aldehyde C-14 (myristic), 83
 Aldehyde C-14 (pure), 83, 155, 376
 Aldehyde C-16, 205
 Aldehyde C-16 (pure), 84, 376
 Aldehyde C-18, 84, 152, 195, 376
 Aldehyde C-19, 84
 Aldehyde C-20, 84
 Ale, 189
 Algae, 171, 221
 Aliphatic compounds, 75
 Alkanet, 214
Alkanna tinctoria, 214
Allium cepa, 56, 193, 431
 A. sativum, 44, 192, 424
 Allomaleic acid, 104
 Allspice, 61, 433
 flavor formula, 264
 oil, 414
 Allyl catechol methylene ether, 410
 1-Allyl-3,4-dimethoxybenzene, 114
 Allyldioxybenzene methylene ether, 410
 4-Allylguaiacol, 103, 144, 391
 Allyl isothiocyanate, 193
 Allyl mercaptan, 193
 4-Allyl-2-methoxyphenol, 103, 144, 391
 4-Allyl-2-methoxyphenyl acetate, 103
 1-Allyl-3,4-methylenedioxybenzene, 410
 4-Allyl-1,2-methylenedioxybenzene, 410
 m-Allyl pyrocatechin methylene ether, 410
 Allyl pyrocatechol methylene ether, 410
 Allyl sulfide, 84, 192, 326, 376
 4-Allylveratrole, 114
 Almond, 414
 artificial essential oil of, 134, 379
 flavor formula, 266
 Almond, bitter, 24
 flavor, 184
 flavor formula, 264–266
 Almond, milk (orzata), flavor formula, 266
 Almond, peach, flavor formula, 266
 Aloe (*Aloe*), 415
 A. vera, 415
 Alpestrine, perfume formula, 226
 Alpine violet, 143
Alpinia officinarum, 423
 Amber, 415
 acid, 410
 perfume formula, 226
 Ambergris, 24, 415
 as fixative, 173
 perfume formula, 226
 Ambrette, seed, 24
 Ambrettolide, 85
 2-Aminobenzoic acid methyl ester, 148, 403
Amomum curcuma, 439
 Amooore, 11
 Amyl acetate, 377
 Amyl acetate ester, 377
 Amyl acetic ester, 377
 Amyl alcohol, 377
 Amyl benzoate, 85
 Amyl butyrate, 377
n-Amyl butyrate, 85
 γ -*n*-Amylbutyrolactone, 376
 γ -*n*-Amyl butyrolactone nonanolide-1,4, 152
 Amyl carbinol, 394
 α -Amylcinnamaldehyde, 85
 Amyl cinnamic aldehyde, 85, 133
 α -Amyl cinnamic aldehyde, 133
 Amylene hydrate, 377
 Amyl formate, 378
 Amyl isovalerate, 378
 Amyl phenyl acetate, 86
 α -*n*-Amyl- β -phenyl acrolein, 85, 133
 Amyl propionate, 86, 396
 Amyl salicylate, 107, 133, 396
 Amyl valerate, 378
 Amyl valerianate, 378
Amyris balsamifera, 64
Anacardium occidentale, 184, 419
Ananas (pineapple), 433
 A. comosus, 433
 flavor, 183
 flavor formula, 338–341
Andropogon (genus), 420
 Anethole, 86, 195, 378
Anethum graveolens, 40
 Angelic acid, 86
 Angelic, flavor formula, 267
 Angelica (*Angelica*), 415
 A. archangelica, 415
 A. officinalis, 415
 root, 25
 seed, 25
 Angostura, 25, 415
 flavor formula, 267
Aniba rosaeodora, 63
 Anisaldehyde, 133, 195, 378
p-Anisaldehyde, 87, 133
 Anise, 415

HANDBOOK OF PERFUMES AND FLAVORS

- alcohol, 87
- camphor, 86, 378
- flavor formula, 267
- seed, 25
- star, 26, 435
- Aniseed, flavor formula, 267
- Anisette, flavor formula, 267
- Anisic acid, 87
- Anisic alcohol, 87
- Anisic aldehyde, 87, 133, 378
- Anisole, 87
- Anisyl acetate, 88
- Anisyl alcohol, 87
- Anisyl aldehyde, 378
- Anisyl formate, 88
- Annatto, 214
- Annona cherimola*, 182, 420
- Anona odoratissima*, 171
- Anthemis nobilis*, 35, 419
- Anthoxanthum odoratum*, 44
- Anthranilic acid, 88
- Anthriscus cerefolium*, 420
- Apis mellifera*, 28
- Apium graveolens*, 34
- β -Apo-8'-carotenal, 214
- Apple, 415
 - acid, 401
 - color, 219
 - essence, 378
 - flavor, 175
 - flavor formula, 267–271
 - oil, 378
- Apricot, 415
 - color, 219
 - flavor, 175
 - flavor formula, 271–273
- Aquavit, 189
- Arabic gum, 221
- Arachis hypogaea*, 185
- Arborea rotundifolia*, 217
- Archangelica officinalis*, 25
- Arethusa* (genus), 167
- Ariaria comosus*, 183
- Aristotle, 4
- Aromatherapy, 15
- Aromatic compounds, 75
- Arrack, 177
- Artemisia (*Artemisia*), 26
 - A. absinthium*, 72, 414
 - A. arborescens*, 414
 - A. dracunculus* (tarragon), 41, 192, 436
 - A. judaica*, 414
 - A. maritima*, 72
 - A. pallens*, 40
 - A. tridentata*, 414
 - A. vulgaris*, 26, 414
- Asafetida, 27, 415–416
- Asant, 415–416
- Asarum (*Asarum*), 26
 - A. canadense*, 26, 424
- Ascabin, 136, 380
- Ascabiol, 136, 380
- Asperula odorata*, 72, 187, 438
- Astragalus gummifer*, 224
- Attar, 168
- Aubepine, 87, 133, 195, 416
 - flavor formula, 273
- Avilla* (genus), 185
- Avocado, 416
 - flavor, 182
 - flavor formula, 273
- Baccharis dracunculifolia*, 70
- Balm, 27, 416
- Balsam, Copaiba, 38
 - gurjun, 46
 - Peru, 61
 - Tolu, 68
- Balsamic odors, 157
- Banana, 416
 - flavor, 182
 - flavor formula, 274–275
 - oil, 182, 377
- Barbecue, 416
 - flavor formula, 275–276
- Barberry, 416
 - flavor, 175
 - flavor formula, 276
- Barley, 266
- Baros camphor, 381
- Barosma betulina*, 30
- Basil, sweet, 27
- Basis, 159
- Basswood, 165
- Bay, 27
 - sweet, 27
- Bean gum, locust, 222
- Bee balm, 416
- Beer, 428
 - flavor, 188
- Beeswax, 28
- Beet, 214

INDEX

- Benedictine, 416
 flavor formula, 276
 Benzylate, 380
 Benzalacetone, 137
 Benzaldehyde, 88, 134, 195, 379
 1-Benzazole, 146
 Benzene, 210
 Benzeneacetaldehyde, 118, 152
 Benzeneacetic acid, 153, 408
 Benzeneacetic acid ethyl ester, 102, 153, 390
 Benzenecarboxylic acid, 379
 1,2-Benzenedicarboxylic acid diethyl ether, 211
 Benzene methanol, 135, 380
 1,3-Benzodioxide-5-carboxaldehyde, 145, 394
 Benzoic acid, 89, 379
 Benzoic acid benzyl ester, 136, 380
 Benzoic acid ethyl ester, 386
 Benzoic acid methyl ester, 113, 404
 Benzoic acid phenyl methyl ester, 136, 380
 Benzoic aldehyde, 134, 379
 Benzoin, 416
 Benzoin siam, 28
 B. sumatra, 28
 Benzyl cyclohexatriene, 210
 Benzophenone, 143
 2-H-1-Benzopyran-2-one, 142
 Benzopyrone, 97, 142
 Benzopyrrole, 146
 Benzoyl acetone, 137
 Benzoyl benzene, 143
 Benzyl acetate, 89, 134, 379
 Benzyl alcohol, 135, 380
 Benzylate, 136
 Benzyl benzene carboxylate, 136, 380
 Benzyl benzoate, 89, 136, 380
 Benzyl butyrate, 195
 Benzyl carbinol, 154, 408
 Benzylcarbiny acetate, 118, 153, 408
 Benzylcarbiny anthranilate, 119, 409
 Benzylcarbiny butyrate, 119, 409
 Benzylcarbiny cinnamate, 120
 Benzylcarbiny formate, 120
 Benzylcarbiny propionate, 120, 409
 Benzylcarbiny salicylate, 121
 Benzylcarbiny α -toluate, 120
 Benzyl cinnamate, 89, 136
 Benzyl formate, 90, 380
 Benzyl *o*-hydroxybenzoate, 90
 Benzyl-*o*-hydroxybenzoxylbenzoate, 137
 Benzylidene acetone, 137
 Benzyl isobutyrate, 84
 Benzyl phenyl acetate, 90
 Benzyl propionate, 90
 Benzyl salicylate, 90, 137
 Benzyl α -toluate, 90
 Benzyl valerate, 91
 Benzyl valerianate, 91
 Benzyl valerianic ether, 91
 Berberis julianae, 175
 B. thunbergie, 175
 B. vulgaris, 175, 416
 Bergammonia, disinfectant, perfume for-mula, 226
 Bergamol, 110, 148, 400
 Bergamot, 28, 158, 159, 416
 flavor formula, 276
 perfume formula, 227
 Bertholletea excelsa, 184
 Beta vulgaris, 214
 Betula alba, 29
 Betula oil, 115, 150, 406
 Beverages, crystal, flavor formula, 298
 Bhimsaim camphor, 381
 Biacetyl, 384
 Bilberry, 417
 flavor, 176
 flavor formula, 277
 Billot, M., 11
 Birch, tar, 29
 Bitter almond, synthetic oil of, 134
 Bitters, 188, 417
 flavor formula, 278
 Bixia orellana, 214
 Blackberry, 417
 color, 219
 flavor, 176
 flavor formula, 278-279
 Black cherry, flavor formula, 279, 287
 Black currant, flavor, 176
 flavor formula, 279
 Black pepper, flavor formula, 279-280
 Blueberry, 417
 flavor, 176
 flavor formula, 280
 Bois de rose, 50, 203
 Boletic acid, 104
 endo-2-Bornanol, 138, 381
 Borneo camphor, 381
 Borneol, 138, 381
 Borneol acetate, 138, 381
 Bornyl acetate, 91, 138, 381
 Bornyl acetate pure laevo, 381

HANDBOOK OF PERFUMES AND FLAVORS

- Bornyl acetic ether, 138, 381
 Bornyl alcohol, 138, 381
 Boronia (*Boronia*), 29
 B. megastigma, 29
Boswellia carterii, 55
 Bouquet, 417
 perfume formula, 227
 Bourbonal, 195, 391
 Bouvardia (*Bouvardia*), 417
 B. densiflora, 417
 B. heterophylla, 417
 B. leiantha, 417
 B. longiflora, 417
 B. scabra, 417
 B. teniifolia, 417
 B. ternifolia, 417
 perfume formula, 227
 Branca, 423
 Brandy, 188, 417
 color, 219
 flavor formula, 280
 Brandy, cherry, flavor formula, 288
Brassica alba, 192
 B. juncea, 192
 B. nigra, 53 192
 Brazil nut, flavor, 184
 Bread, 417
 flavor formula, 280
 Brewing, 189
 Briar, sweet, 422
 Brier, tree, 29
 Bromelia, 407
 perfume formula, 247
 Bromo styrol, 91
 Broom, 29
Brumelia lycioides, 215
 Bruyere, 29
 Buchu, leaf, 30
 Buckthorn, 215
Bulnesia sarmienti, 46
Bursera delpechiana, 50
 Butaldehyde, 92
 Butanal, 92
 Butanedioic acid, 410
 Butanedione, 384
 Butanoic acid, 382
 Butanoic acid butyl ester, 381
 Butanoic acid ethyl ester, 386
 Butanoic acid methyl ester, 404
 Butanoic acid pentyl ester, 377
trans-Butenedioic acid, 104
 Butter, 417
 color, 219
 flavor, 190
 flavor formula, 280–281
 Butter nut, 184
 Butter, rum, flavor formula, 281
 Butterscotch, 417
 color, 219
 flavor formula, 281–282
n-Butyl acetate, 381
n-Butyl aldehyde 92
 Butyl benzoate, 91
 Butyl butanoate, 381
n-Butyl butyrate, 381
n-Butylcarbinol, 377
 4-*t*-Butyl-3,5-dinitro-2,6-dimethyl
 acetophenone, 151
 6-*t*-Butyl-3-methyl-2,4-dinitroanisole, 150
 Butyl-2,4,6-trinitro-*m*-xylene, 151
 Butyric acid, 92, 382
 Butyric acid butyl ester, 381
 Butyric acid ethyl ester, 386
 Butyric aldehyde, 92
 Buxine, 85

 Cabreuva, 30
 Cacao, 418
 butter, 412
 flavor formula, 282–283
 Cade, 30
 Cadinene, 92
Caesalpina echinata, 217
 Cajeput, 30
 Cajeputene, 399
 Cajeputol, 383
 Cake, 418
 flavor formula, 283
 glace, flavor formula, 305
 pound, flavor formula, 346
 Calamus, 31, 418
 perfume formula, 227
 Calendula (*Calendula*), 31
 C. officinalis, 31
Calonyction aculeatum, 166
Calopogon (genus), 167
Calypso (genus), 167
Camellia sinensis, 188, 436
 Campeachy, 215
 endo-2-Camphanol, 138, 381
 Camphol, 138
 Camphor, 31, 418

INDEX

- borneo, 381
- mentha, 402
- peppermint, 402
- perfume formula, 227
- Canada snake root, 26
- Cananga (*Cananga*), 32
 - C. odorata*, 32, 72, 171, 439
 - perfume formula, 227
- Canangium odoratum*, 439
- Canarium luzonicum*, 41
- Cane, 411
- Cantharellus cinnabarinus*, 215
- Canthaxanthin, 215
- Caper, 418
 - flavor formula, 283
- Capparis spinosa*, 418
- Capraldehyde, 82, 382
- Capric acid, 92
- Capric alcohol, 80
- Capric aldehyde, 82, 382
- Caproic acid, 93
- Caprylaldehyde, 81
- Caprylene, 117
- Caprylic acid, 93
- Caprylic alcohol, 79
- Caprylic aldehyde, 81, 206
- Caprylyl acetate, 206
- Capsicum (*Capsicum*), 418
 - C. annuum*, 192, 418
 - C. fastigiatum*, 418
 - C. frutescens*, 192, 418
 - C. tetragonum* (paprika), 192, 217
 - flavor, 192
 - flavor formula, 283
 - perfume formula, 228
- Caramel, 215, 418
 - color, 219, 382
 - flavor formula, 283
- Caraway, 32
 - flavor formula, 284
- Carbinol, 113
- Carbonic acid diethyl ester, 387
- Carboxybenzene, 379
- Cardamom, 32, 418
 - flavor formula, 284
- Carica papaya*, 183
- Carnation, 159, 418
 - flavor formula, 284
 - perfume formula, 228
- Carob, 435
 - flavor formula, 355
- Carrageen, 222
- Carrot, 32, 418
 - flavor formula, 284
- Carthamus tinctorius*, 217
- Carum carvi*, 32
- Carvacrol, 93
- Carvone, 196
- Carya alba*, 194
 - C. aquatica*, 194
 - C. glabra*, 194
 - C. laciniosa*, 194
 - C. ovata*, 194
 - C. pecan*, 185
- Caryophyllene, 93
- Caryophyllic acid, 144, 391
- Caryophyllus aromaticus*, 160, 421, 424
- Cascarilla, 33, 419
 - flavor formula, 284
- Cashew, 419
 - flavor, 184
 - flavor formula, 285
- Cassia (*Cinnamomum cassia*), 33, 419
- Cassia (*Cassia*), 160
 - C. acutifolia*, 160
 - C. angustifolia*, 160
 - C. fasciculata*, 160
 - C. matilandia*, 160
 - flavor formula, 285
- Cassie, 33
- Castaneae dentata*, 184
 - C. pumila*, 184
- Castor (*Castor*), 419
 - C. fiber*, 33
 - perfume formula, 228
- Castoreum, 33
- Catechu (*Catechu*), 215
 - C. gambier*, 215
- Catnip, 54
- Catsup. See Ketchup
- Cedar, 419
- Cedarleaf, 34
- Cedarwood, 34
- Cedrela, 419
 - perfume formula, 229
- Cedrene, 94
- Cedrus atlantica*, 419
 - C. deodara*, 419
- Cedryl acetate, 94
- Celery, 34
- Centaurea americana rubra*, 419
- Centaury, 419

HANDBOOK OF PERFUMES AND FLAVORS

- Cephrol, 141, 384
Cerasus marasca, 429
Cerantonis siliqua, 435
 Cerbelaud, R., 9
 Cetyl alcohol, 81
Chamaecyparis (genus), 419
 Chamomile, 419
 German, 35
 Roman, 35
 Champaca, 35
 Champagne, 419
 flavor formula, 286
 Champhol, 381
 Chartreuse, 420
 flavor formula, 286
 Cheese, 190–191, 420
 blue, flavor formula, 286–287
 color, 219
 flavor formula, 287
 Roquefort, flavor formula, 287
Cheiranthus cheiri, 71, 170, 438
 Chenopodium (*Chenopodium*), 35
 C. ambrosioides, 35
 Cherimoya, 420
 flavor, 182
 flavor formula, 287
 Cherry, 420
 black, flavor formula, 279, 287
 blossom, flavor formula, 288
 brandy, flavor formula, 288
 color, 219
 flavor, 176
 flavor formula, 289–293
 red (agriot), flavor formula, 291
 wild (agriot), flavor formula, 293
 Chervil, 420
 flavor formula, 293
 Chestnut, flavor, 184
 Chevrefeuille, 162
 Chinese bean oil, 213
 Chinese cinnamon, 33
Chionanthus virginicus, 173
Chironium persicum, 431
 Chloroform, 383
 Chlorophyll, 215
 Chocolate, 187, 420
 color, 219
 flavor formula, 293
 hardener, flavor formula, 293
Chondrus crispus, 171, 222
 Chrysanthemum, 160
 Chypre, flavor formula, 293
 Cicely, 420
 Cincholepidine, 149
 Cinchona (*Cinchona*), 420
 C. officinalis, 420
 Cinene, 399
 Cineol, 383
 Cineole, 383
 Cinnamal, 140
 Cinnamaldehyde, 140, 383
 Cinnamon, 89, 136
 Cinnamene, 126
 Cinnamic acid, 94, 139
trans-Cinnamic acid benzyl ester, 136
 Cinnamic acid cinnamyl ester, 95
 Cinnamic alcohol, 139
 Cinnamic aldehyde, 94, 140, 196, 383
 Cinnamic methyl ketone, 137
 Cinnamol, 126
Cinnamomum camphora, 31, 418
 C. cassia, 33, 419
 C. ceylanicum, 36
 C. laureirii, 420
 C. zeylanicum, 420
 Cinnamon, 420
 flavor formula, 294
 bark, 36
 leaf, 36
 Cinnamyl acetate, 95
 Cinnamyl acid, 139
 Cinnamyl alcohol, 139, 196
 Cinnamyl aldehyde, 140, 383
 Cinnamyl benzoate, 95
 Cinnamyl butyrate, 196
 Cinnamyl cinnamate, 95
 Cinnamyl formate, 95
 Cinnamyl propionate, 196
 Cinnamyl ether, 387
 Cinnyl cinnamate, 95
Cirsium arvense, 436
 Cistus (*Cistus*), 36
 C. ladaniferus, 36
 Citral, 96, 140, 196, 383
 Citric acid, 96
 Citronella, 37, 420
 perfume formula, 229
 Citronellal, 96, 141, 384
 Citronellal hydrate, 146, 394
 Citronelloi, 141, 197, 384
 l-Citronellol, 410
 Citronellyl acetate, 96

INDEX

- Citronellyl butyrate, 97
 Citronellyl formate, 97
 Citronellyl propionate, 97
 Citronellyl valerianate, 97
Citrullus vulgaris, 179, 429
 Citrus (*Citrus*), 420
 - C. aurantifolia*, 49, 178, 428
 - C. aurantium*, 179, 431
 - C. aurantium amara*, 167
 - C. aurantium* var. *amara*, 56, 57, 61, 167
 - C. aurantium* var. *bergamia*, 28
 - C. aurantium* var. *bigaradia*, 54
 - C. aurantium* var. *dulcis*, 57
 - C. aurantium* var. *reticulata*, 39
 - C. bergamia*, 159, 416
 - C. bigaradia*, 431
 - C. decumana*, 46, 178, 425
 - C. deliciosa*, 436
 - C. grandis*, 425
 - C. kumquat*, 428
 - C. limon*, 427
 - C. limonia*, 178
 - C. limonia*, *L. medica*, 427
 - C. limonium*, 49
 - C. madurensis*, 428
 - C. maxima*, 178, 425
 - C. nobilis*, 51, 179, 428, 436
 - C. paradisi*, 178, 425
 - C. reticulata*, 428, 436
 - C. sinensis*, 167, 179, 431
 - fruits, flavor formula, 294
 - odors, 157
 - trees, 157–158
 Civet, 37
Civettictis civetta, 37
Cladrastis lutea, 218
 Clary sage, 37
 Clove, 160, 421, 424
 - bud, 37
 - flavor formula, 294, 305
 - leaf, 38
 Clover, 160, 437
 - perfume formula, 259
 Coalein oil, 140
 Cobnut, 185
 Coca, 421
 - flavor formula, 294
 Cochineal, 216
 Cocoa, 187, 421
 - butter, 412
 - flavor formula, 294
 Coconut, 421
 - flavor, 183
 - perfume formula, 229
 Coconut aldehyde, 84, 152, 376
Cocos nucifera, 183, 421
Coffea arabica, 187, 421
 Coffee, 421
 - color, 219
 - flavor, 187
 - flavor formula, 294–295
 Cognac, 421
 - flavor, 188
 - flavor formula, 280, 295–297
 - oil, 199
 - oil synthetic, 389
 Cola (*Cola*), 421
 - C. acuminata*, 188, 421
 - flavor formula, 297*Colchicum* (genus), 192
 Cologne, 421
 - eau de, 2
 - perfume formula, 229
 Colorants, 214–220
 Color base, perfume formula, 229–230
Commiphora erythraea, 56
 - C. katof*, 431
 - C. myrrha*, 53
 Conifers, 167
Convallaria majalis, 164, 428
 - C. montana*, 164, 428
 Copaiba balsam, 38
Copaifera officinalis, 38
 Copra, 183
 Cordial, 190
 Coriander, 38, 421
 - flavor formula, 297*Coriandrum sativum*, 38, 421
 Corn oil, 210
Corylus (genus), 185
 - C. americana*, 425
 - C. avellana*, 425
 - C. cornuta*, 425
 Cosmetics industry, 3
 - products, 3
 Costus, 38
 Cottonseed oil, 210
cis-o-Coumarianic acid lactone, 142
 Coumarin, 97, 142, 197
 Coumarin acid, 98
 Coumarinic anhydride, 97, 142
 Cover odor, perfume formula, 230

HANDBOOK OF PERFUMES AND FLAVORS

- Cranberry, 422
 flavor, 177
 flavor formula, 298
Crataegus crus-galli, 162, 416
 C. mollis, 162, 416
 C. monogyna, 416
 C. oxyacantha, 162, 416
 Cravo, 39
 Cream nut, 184
 Cream paste, flavor formula, 298
p-Cresyl acetate, 98, 142
p-Cresylic acetate, 142
p-Cresylic acetic acid ester, 142
p-Cresyl methyl ether, 143
p-Cresyl phenyl acetate, 98
 Crocus (*Crocus*), 63
 C. sativus, 63, 217, 434
 C. susianus, 192
 Croker and Henderson, 9
Croton eleuteria, 33, 419
 Crystal beverages, flavor formula, 298
 Cubeb, 39
 Cucumber, 422
 flavor, 192
 flavor formula, 298
Cucumis melo, 429
 C. sativus, 192, 422
 Cud bear, 216
 Culinary, 422
 extracts, flavor formula, 298–299
 Cumarin, 97
 Cumic aldehyde, 197
 Cumin, 39
 Cuminic aldehyde, 98
Cuminum cyminum, 39
Cupressus sempervirens, 40
 Curaçao, 422
 flavor formula, 299–300
Curcuma (*Curcuma*), 39, 216
 C. longa, 39, 192, 216, 218
 Currant, 422
 color, 219
 flavor formula, 300–302
 black, flavor, 176
 black, flavor formula, 279
 red, flavor, 181
Cyamopsis tetragonoloba, 222
 Cyclamal, 143
 Cyclamen (*Cyclamen*), 161, 422
 C. africanum, 422
 C. europaeum, 422
 C. neapolitanum, 422
 C. persicum, 422
 perfume formula, 230
 Cyclohexane, 210
Cydonia oblonga, 181, 434
Cymbopogon (genus), 420
 C. citratus, 49
 C. martini, 45, 58
 C. nardus, 37
 Cymene, 99
 Cymol, 99
 Cypress, 40
Cypridium (genus), 167

Dactylopius coccus, 216
 Daffodil, 167, 430
 perfume formula, 239
 Damson plum, 429
 Date, 422
 flavor, 177
 flavor formula, 302
Daucus carota, 32, 418
 D. sativa, 418
 Davana, 40
 Decanal, 82
n-Decanal, 198, 382
 Decanedioic acid diethyl ester, 391
 Decanoic acid ethyl ester, 386
 1-Decanol, 80, 197
 Decyl acetate, 77, 197
 Decyl acetate, 375
n-Decyl alcohol, 80, 197
n-Decyl aldehyde, 82, 198, 382
 Deodorant, perfume formula, 231
 Devil's dung, 415–416
 Diacetic ester, 100, 385
 Diacetyl, 384
 perfume formula, 231
 Diallyl sulfide, 84, 376
Dianthus caryophyllus, 159, 418
 Diethyl carbonate, 387
 Diethyl malonate, 389
 Diethyl phthalate, 211
 Diethyl sebacate, 391
 2,3-Dihydroxybutanedioic acid, 411
 1,2-Dihydroxypropane methylethylene glycol,
 213
 Dihydroxysuccinic acid, 411

INDEX

- Dihydrocitronellol, 99
 Diketobutane, 2,3-, 384
 Dill, 40
 Dimethoxy-4-propenylbenzene, 1,2-, 405
 Dimethyl benzyl carbonyl acetate, 99
 Dimethyl carbinol, 212
 Dimethyl diketone, 384
 Dimethylethyl carbinol, 377
 Dimethyl glyoxal, 384
 3,7-Dimethyl-7-hydroxyoctanal, 146, 394
 Dimethyl ketone, 209
 3,7-Dimethyl-2,6-octadienal, 140, 383
cis and *trans*-3,7-Dimethyl-2,6-octadiene-1-al, 140
 2,6-Dimethyl-2,6-octadien-8-ol, 145, 152, 391, 407
 2,6-Dimethyl-2,7-octadien-6-ol, 147, 399
 3,7-Dimethyl-1,6-octadien-3-ol, 147, 399
cis-3,7-Dimethyl-2,6-octadien-1-ol, 152, 407
trans-3,7-Dimethyl-2,6-octadien-1-ol, 145
 (E)-3,7-Dimethyl-2,6-octadien-1-ol, 391
trans-3,7-Dimethyl-2,6-octadien-1-ol, 391
 3,7-Dimethyl-1,6-octadien-3-yl acetate, 110, 148, 400
cis-3,7-Dimethyl-2,6-octadien-1-yl acetate, 117
trans-3,7-Dimethyl-2,6-octadienyl acetate, 104, 392
 3,7-Dimethyl-1,6-octadien-3-yl benzoate, 400
trans-3,7-Dimethyl-2,6-octadienyl benzoate, 392
 3,7-Dimethyl-1,6-octadien-3-yl butyrate, 110, 400
trans-3,7-Dimethyl-2,6-octadienyl butyrate, 105, 392
 3,7-Dimethyl-1,6-octadien-3-yl formate, 111, 400
trans-3,7-Dimethyl-2,6-octadienyl formate, 393
trans-3,7-Dimethyl-2,6-octadienyl phenyl acetate, 105, 393
 3,7-Dimethyl-1,6-octadien-3-yl propionate, 111, 401
trans-3,7-Dimethyl-2,6-octadienyl propionate, 105, 393
 Dimethyl octanol, 99
 3,7-Dimethyl-1-octanol, 99
 3,7-Dimethyl-6-octenal, 141
 3,7-Dimethyl-6-octen-1-al, 141, 384
 3,7-Dimethyloct-6 (or 7)-enal, 141, 384
 2,6-Dimethyl-2-octen-8-ol, 384
 3,7-Dimethyl-6 (or 7)-octen-1-ol, 141
 3,7-Dimethyl-6-octen-1-ol, 384
 3,7-Dimethyl-7-octen-1-ol, 410
 3,7-Dimethyl-6-octen-1-yl acetate, 96, 124
 3,7-Dimethyl-6-octen-1-yl butyrate, 97
 3,7-Dimethyl-6-octen-1-yl formate, 97, 124
 3,7-Dimethyl-6-octenyl propionate, 97
 2,6-Dimethyl-2-octen-8-ol, 141
 α,α -Dimethylphenethyl acetate, 99
 1,1-Dimethyl-2-phenyl acetate, 99
 Dimethyl phenyl carbonyl acetate, 99
 Dimethylpropyl alcohol, 1-, 377
 2,6-Dinitro-3,5-dimethyl-4-aceto-*t*-butylbenzene, 151
 3,5-Dinitro-2,6-dimethyl-4-*t*-butylacetophenone, 151
 2,6-Dinitro-3-methoxy-4-*t*-butyl toluene, 150
 2,4-Dinitro-3-methyl-6-*t*-butylanisole, 150
 Dinitro-pseudo-butyl xylyl ketone, 151
 Dioxymethylene protocatechuic aldehyde, 145, 394
 Diphenyl ether, 100, 144
 Diphenyl ketone, 143
 Diphenyl methanone, 143
 Diphenyl oxide, 100, 144
Dipterocarpus turbinatus, 46
Dipteryx odorata, 69
 Disinfectant, bergammonia, 226
 Dittany, 422
 Dodecanal, 82, 399
 1-Dodecanol, 80
 Dodecyl acetate, 78, 375
 Dodecyl alcohol, 80
 Dodecyl aldehyde, 198, 399
n-Dodecyl aldehyde, 82
n-Dodecylic aldehyde, 399
 Dracrylic acid, 379
 Dryobalanops camphor, 381
 Dwarf pine, 40
 Dyes, 192
 natural, 230
 Eau de Cologne, history, 2
 perfume formula, 231
 Eau de verveine, 170
 Eau d'oro (golden water), 164
 Egg, color, 219
 Eglantine, 108, 422
 perfume formula, 232
Elata (genus), 167
 Elder, 422
 Elderberry, color, 219
 Elecampane, 422

HANDBOOK OF PERFUMES AND FLAVORS

- Elemi, 41
- Elettaria cardamomum*, 32, 418
- Enanthic acid, 106
- Enzactin, 212
- Epoxy linalyl acetate, 100
- Erica arborea*, 29
- Erigeron (*Erigeron*), 44
 - E. canadensis*, 44
- Erysimum* (genus), 438
- Erythrosine, 216
- Erythroxylum coca*, 421
- Essence of niobe, 113, 404
- Essential oils, 17
 - analysis, 19
 - antiseptic value, 16
 - characteristics, 18
 - constituents, 20–23
 - constituents, acid, 21–22
 - constituents, acid anhydrides, 22
 - constituents, alcohol, 21
 - constituents, aldehyde, 22
 - constituents, ester, 21
 - constituents, hydrocarbon, 20
 - constituents, ketone, 22
 - constituents, nitrogenous, 23
 - constituents, phenol, 23
 - constituents, phenol esters, 23
 - derivation, 17–18
 - description format, 23
 - extraction, 18–19
 - nonoxygenated, 20
 - oxygenated, 20
 - uses, 15
- Esters, 21, 75
 - in flavoring, 174
 - neutral base for flavors, 264
 - general base, perfume formula, 232
- Estragon, 41
- Ethanal, 77, 374
- Ethanol, 100, 211, 385
- Ethers, 76
- Ethovan, 391
- 3-Ethoxy-4-hydroxybenzaldehyde, 391
- 2-Ethoxynaphthalene, 407
- Ethyl acetate, 198, 211, 385
- Ethylacetic acid, 382
- Ethyl acetoacetate, 100, 198, 385
- Ethyl alcohol, 100, 211, 385
- Ethyl aldehyde, 77, 374
- Ethyl *o*-aminobenzoate, 101, 386
- Ethyl anisate, 101
- Ethyl anthranilate, 101, 386
- Ethyl benzoate, 101, 198, 386
- Ethyl butanoate, 386
- Ethyl butyrate, 198, 386
- Ethyl caprate, 386
- Ethyl caproate, 101, 387
- Ethyl caprylate, 387
- Ethyl carbonate, 387
- Ethyl cinnamate, 102, 387
- Ethyl decanoate, 386
- Ethyl enanthate, 389
- Ethylenecarboxylic acid, 410
- Ethylenesuccinic acid, 410
- Ethyl α,β -epoxy- β -methylhydrocinnamate, 84, 376
- Ethyl formate, 102, 388
- Ethyl formic acid, 122
- Ethyl formic ester, 388
- Ethyl heptanoate, 199, 389
- Ethyl *n*-heptanoate, 389
- Ethyl hexanoate, 101, 387
- Ethyl hexoate, 101, 387
- Ethyl hexyl carbonyl acetate, 102
- Ethyl hydrate, 385
- Ethyl hydroxybenzoate, 390
- Ethyl *o*-hydroxybenzoate, 103
- Ethyl isobutyrate, 388
- Ethyl isovalerate, 200, 388
- Ethyl linalyl acetate, 102
- Ethyl malonate, 199, 389
- Ethyl *p*-methoxybenzoate, 101
- Ethyl 2-methyl butyrate, 388
- Ethyl methyl phenyl glycidate, 84, 205, 376
- Ethyl-*p*-methyl β -phenyl glycidate, 84
- Ethyl myristate, 199, 389
- Ethyl 2-naphthyl ether, 407
- Ethyl nitrate, 389
- Ethyl nonate, 390
- Ethyl nonylate, 199
- Ethyl octanoate, 387
- Ethyl octoate, 387
- Ethyl octylate, 387
- Ethyl oenanthatate, 199, 389
- Ethyl 3-oxobutanoate, 385
- Ethyl pelargonate, 199, 390
- Ethyl phenyl acetate, 102, 390
- Ethyl phenyl acrylate, 102, 387
- Ethyl phenyl glycidate, 390
- Ethyl β -phenyl glycidate, 390
- Ethyl phthalate, 211
- Ethyl propionate, 199

INDEX

- Ethyl protal, 391
- Ethyl protocatechuic aldehyde, 391
- Ethyl salicylate, 103, 390
- Ethyl sebacate, 200, 391
- Ethyl tetradecanoate, 199, 389
- Ethyl valerate, 200, 388
- Ethyl valeriate, 388
- Ethyl vanillin, 174, 195, 391
- Ethyl α -toluate, 102, 153, 390
- Eucalyptol, 383
- Eucalyptus (*Eucalyptus*), 41–42
 - E. citriodora*, 41
 - E. dives*, 41
 - E. globulus*, 42
 - E. staigeriana*, 42
- Eugenia aromatica*, 421
 - E. caryophyllata*, 37, 38, 160, 421, 424
- Eugenic acid, 103, 144, 391
- Eugenol, 103, 144, 200, 391
- Eugenol acetate, 103
- Eugenyl acetate, 103
- Eugenyl methyl ether, 114
- Evernia furfuracea*, 69, 166
 - E. prunastri*, 55, 166
- Extract
 - fruit, flavor formula, 304
 - vegetable, flavor formula, 303
- Fatty odors, 158
 - oils, 18
- Fenchene, 104
- Fennel, bitter, wild, 42
 - sweet, 42
- Fenugreek, 43, 423
 - perfume formula, 232
- Fermented drinks, 189
- Fern, 161, 423
 - perfume formula, 232
- Fernet (branca), 423
 - flavor formula, 303
- Ferula foetida*, 415–416
 - F. narthex*, 27
 - F. rubicaulis*, 415–416
- Ficus carica*, 177, 423
- Fig, 423
 - flavor, 177
 - flavor formula, 303
- Filbert, 185
- Fir needle, 43
 - Siberian, 43
 - silver, 65
- Fish odor, flavor formula, 303
- Fixative, for perfume, 173
 - perfume formula, 226
- Fixed oils, 18, 374
- Flag lily, 426
- Flavors
 - alcoholic beverages, 188–190
 - almond bitter, 184
 - apple, 175
 - apricot, 175
 - avocado, 182
 - banana, 182
 - barberry, 175
 - beer, 189
 - bilberry, 176
 - bitter, 190
 - blackberry, 176
 - black currant, 176
 - blueberry, 176
 - brazil nut, 184
 - butter, 190
 - capsicum, 192
 - cashew nut, 184
 - cheese, 190
 - cherimoya, 182
 - cherry, 176
 - chestnut, 184
 - cocoa-chocolate, 187
 - coconut, 183
 - coffee, 187
 - cognac, 188
 - cranberry, 177
 - cucumber, 192
 - culinary, 192–194
 - daily beverages, 187–188
 - dairy products, 190–191
 - date, 177
 - dry fruit, 184–185
 - extraction, of fruits, 263
 - fermented drinks, 189
 - fig, 177
 - fortified beverages, 189
 - fresh fruit, 175–182
 - fruity, 175
 - garlic, 192
 - gooseberry, 177
 - grape, 177
 - grapefruit, 178
 - guava, 183
 - hazelnut, 185
 - hickory smoke, 194

HANDBOOK OF PERFUMES AND FLAVORS

- honey, 186
- hop, 178
- huckleberry, 178
- kola, 188
- lemon, 178
- licorice, 186
- light or still, 189
- lime, 178
- loganberry, 179
- macadamia, 185
- mandarin, 179
- mango, 183
- maple, 186
- melon, 179
- milk, 191
- mulberry, 179
- mustard, 192
- onion, 193
- orange, 179
- papaya, 183
- paprika, 192
- peach, 180
- peanut, 185
- pear, 180
- pecan, 185
- pineapple, 183
- pistachio, 185
- plum (prunes), 180
- pomegranate, 181
- powdered, formula, 346
- quince, 181
- raspberry, 181
- red currant, 181
- rum, 188
- saffron, 192
- smoke, 193–194
- sparkling wines, 189
- strawberry, 182
- sweet, 186–187
- tarragon, 192
- tea, 188
- tomato, 193
- tropical fruit, 182–184
- turmeric, 192
- vanilla beans, 187
- vermouth, 189
- walnut, 185
- whiskey, 189
- woodruff, 187
- yogurt, 191
- Fleabane, 44
- Fleur de lis (flower of the lily), 163
- Floral, families of odors, 9–10
 - fragrance, perfume formula, 232
- Flouve, 44
- Flower of flowers, 72
- Flower scents, 13, 159–171
- Flowery odors, 158
- Foeniculum vulgare*, 42
- Foin coupé, 160, 430
 - perfume formula, 248
- Folione, 405
- Fondant, flavor formula, 303
- Food of the Gods, 415–416
- Formic acid, 104
- Formic acid benzyl ester, 380
- Formic acid phenylmethyl ester, 380
- Forsyth, William, 172
- Forsythia (*Forsythia*), 172
 - F. intermedia*, 172
 - F. spectabilis*, 172
 - F. suspensa*, 172
 - F. viridissima*, 172
- Fortified beverages, 189
- Fougère, 161, 423
 - perfume, 161
 - perfume formula, 232–233
- Fourcroy, A.F., 4
- Fragaria chiloensis*, 435
 - F. virginiana*, 182, 435
- Fragarol, 205
- Frangipanni, 161, 423
 - perfume formula, 233
- Frankincense, 55
- Freesia refracta*, 163
- Freshener perfume, formula, 233
- Fringe tree, 173
- Fruit
 - citrus, flavor formula, 294
 - extract, flavor formula, 304
 - flavor extraction, 263
 - fresh, flavors, 175
 - soda, flavor formula, 304
- Fruity flavors, 175
- Fumaric acid, 104
- Fungi, 423
 - flavor formula, 304
- Gage, green, 425
 - flavor formula, 309
- Gage, William, 425
- Galangal, 423

INDEX

- Galbanum, 44
- Galipea officinalis*, 25, 415
- Garden, Alexander, 162
- Gardenia (*Gardenia*), 44, 162, 424
- G. grandiflora*, 44
- G. jasminoides*, 424
- perfume formula, 234
- Garlic, 44, 424
- flavor, 192
- flavor formula, 304
- oil, 376
- Gattefossé, R.M., 9–10, 15
- Gaultheria oil, 150, 406
- Gaultheria procumbens*, 71, 171, 438
- Gaylussacia baccata*, 178, 216, 426
- Gelidium corneum*, 221
- Gentian, 424
- Gentiana crinita*, 424
- Geranial, 96, 140, 383
- Geranialdehyde, 140, 383
- Geraniol, 104, 145, 200, 391
- Geraniol acetate, 104, 392
- Geraniol butyrate, 105, 392
- Geraniol formate, 393
- Geraniol propionate, 105, 393
- Geranium, 45, 162, 424
- crystals, 144
- perfume formula, 234
- Geranyl acetate, 104, 200, 392
- Geranyl benzoate, 392
- Geranyl butyrate, 105, 392
- Geranyl *n*-butyrate, 200
- Geranyl caproate, 105
- Geranyl formate, 393
- Geranyl phenyl acetate, 105, 393
- Geranyl propionate, 105, 393
- German chamomile, 35
- Germander, 424
- Gigartina speciosa*, 221
- Gin, 190, 424
- flavor formula, 304
- Ginger, 45, 424
- flavor formula, 304–305
- Gingergrass, 45
- flavor formula, 305
- perfume formula, 234
- Giroflé, 424
- flavor formula, 305
- perfume formula, 234
- Glacé, 424
- cake mix, flavor formula, 305
- Glacial acetic acid, 78
- Glucose, 411
- Glycerin, 212, 393
- Glycerinum, 393
- Glycerol, 212, 393
- Glycerol alcohol, 393
- Glyceryl triacetate, 212
- Glycyl alcohol, 212
- Glycyrrhiza glabra*, 186, 427
- G. lipidata*, 186, 427
- Golden bell, 172
- Goldenlack, 170
- Gold water, perfume formula, 235
- Gooseberry, 425
- flavor, 177
- flavor formula, 306–307
- Gossypium herbaceum*, 210
- Gracilaria lichenoides*, 221
- Grain alcohol, 100, 211, 385
- Grape, 425
- color, 219
- flavor, 177
- flavor formula, 307–309
- Grapefruit, 46, 425
- flavor, 178
- Grassy odors, 158
- Green-floral, odors, 158
- Green gage, 425
- flavor formula, 309
- Grenadine. See Pomegranate
- Guaiacwood, 46
- Guanine, 216
- Guar gum, 222
- Guava, 425
- flavor, 183
- flavor formula, 309
- Gum, 221
- arabic, 221
- dragon, 224
- guar, 222
- karaya, 222
- locust bean, 222
- tragacanth, 224
- Gurjun balsam, 46
- Habernaria* (genus), 167
- Haematoxylon campeachianum*, 215
- Halogenated compounds, 74, 76
- Halo sea salt odor, perfume formula, 234
- Ham glaze, flavor formula, 310
- Harsh-pungent, odors, 158

HANDBOOK OF PERFUMES AND FLAVORS

- Hawthorn, 162, 416
 flavor formula, 273
 perfume formula, 235
- Hazelnut, 425, 430
 flavor, 185
 flavor formula, 310
- Heather shrub, 29
- Heath, white, 29
- Hedeoma pulegioides*, 59
- Helichrysum (*Helichrysum*), 46
H. angustifolium, 46
- Heliotrope, 162, 425
 perfume formula, 235
- Heliotropin, 106, 145, 201, 394
- Heliotropium arborescence*, 162, 425
- Hemlock, 66
- Hendecanal, 82
- Hendecenal, 82
- Henning, H., 8
- n*-Heptaldehyde, 81
- Heptane, 106
- n*-Heptanoic acid, 106
- Heptanoic acid ethyl ester, 389
- Heptanol, 81
- 1-Heptanol, 79
- n*-Heptoic acid, 106
- Heptyl alcohol, 79
- γ -*n*-Heptylbutyrolactone, 155, 376
- Heptylic aldehyde, 201
- Heptyne carboxylic acid methyl ester, 149, 405
- Herbal base, perfume formula, 235
 cream, flavor formula, 310
- Herb-like odors, 158
- Hexahydrobenzene, 210
- Hexahydrothymol, 402
- Hexamethylene, 210
- Hexanaphthene, 210
- n*-Hexane, 212
- Hexanoic acid, 93
- Hexanoic acid ethyl ester, 101, 387
- 1-Hexanol, 394
- Hexoic acid, 93
- Hexyl acetate, 394
- Hexyl alcohol, 394
- Hickory smoke flavor, 192
- Hip, perfume formula, 235–236
 rose, 425
- History of odor, 1–2, 4–11
 of perfume, early, 2
- Honey, 426
 color, 219
 flavor, 186
 flavor formula, 310–312
 perfume formula, 236
- Honeysuckle, 162, 426
 perfume formula, 236
- Hop, 46, 426
 flavor, 178
 flavor formula, 312
- Horsemint, 52
- Huckleberry, 216, 426
 flavor, 178
 flavor formula, 312–313
- Humulus lupulus*, 46, 178, 426
H. lupulus americanus, 178, 426
H. scandens, 178, 426
- Hyacinth, 47, 163, 426
 perfume formula, 236
- Hyacinthin, 118, 152
- Hyacinthus orientalis*, 47, 163, 426
- Hydrangin, 129
- endo-2-Hydrocamphane, 381
- Hydrocarbons, 20, 75
- Hydrocinnamic aldehyde, 201
- Hydrocinnamyl acetate, 121
- Hydrocinnamyl formate, 122
- Hydrocyanic acid, 184
- Hydrogen oxide, 213
- Hydroprussic acid, 184
- 2-Hydroxybenzoic acid methyl ester, 150, 406
- 2-Hydroxybenzoic acid phenyl methyl ester, 137
- Hydroxybutatenedioic acid, 401
- endo 2-Hydroxy-camphane, 138
- Hydroxycitronellal, 146, 201, 394
- Hydroxy coumarin, 129
- 7-Hydroxy-3,7-dimethyloctan-1-al, 146, 394
- β -Hydroxyethyl benzene, 154, 408
- 1-Hydroxyhexane, 394
- 3-Hydroxymenthane, 402
- 3-Hydroxymenthene, 402
- 4-Hydroxy-3-methoxybenzaldehyde, 156, 412
- 1-Hydroxy-2-methoxy-4-propenyl benzene, 398
- 4-Hydroxy-3-methoxy-1-propenyl benzene, 398
- 3-Hydroxy-2-methyl-4H-pyran-4-one, 402
- 3-Hydroxy-2-methyl-4-pyrone, 402
- 3-Hydroxy-2-methyl- γ -pyrone, 402
- 4-Hydroxynonanoic acid, 376
- 4-Hydroxynonanoic acid lactone, 152
- γ -Hydroxyoctanoic acid lactone, 407
- Hydroxysuccinic acid, 401
- α -Hydroxytoluene, 135, 380

INDEX

- 4-Hydroxyundecanoic acid lactone, 83, 155, 376
- Hypnone, 132
- Hyssop, 47, 426
- Hyssopus officinalis*, 47, 426
- Ilex paraguariensis*, 51
- Illicium verum*, 26, 435
- Indian tragacanth, 222
- Indigofera indigo*, 216
- Indigotin, 216
- Indole, 106, 146
- Inula helenium*, 422
- Ionone, 107, 147, 201, 395
perfume formula, 236
- β -Ionone, 147
- Ipomea batatas*, 433
- Ipomeae purpurea*, 166
- Iris (*Iris*), 163, 426
- I. florentina*, 431
- I. kaempferi*, 163, 426
- I. pseudacorus*, 163, 426
- I. pumila*, 163, 426
- I. sibirica*, 163, 426
- I. spuria*, 163, 426
- I. versicolor*, 163, 426
perfume formula, 236
- Irish moss, 171, 222
- Isirone, 147, 395
- Isone, 202, 405
- Isoamyl acetate, 107, 202, 395
- Isoamyl alcohol, 395
- Isoamyl benzoate, 85
- Isoamyl butyrate, 202, 396
- Isoamyl *n*-butyrate, 377
- Isoamyl butyric ester, 377
- Isoamyl formate, 378, 396
- Isoamyl-*o*-hydroxybenzoate, 133
- Isoamyl isovalerate, 378
- Isoamyl phenylacetate, 86
- Isoamyl propionate, 86, 396
- Isoamyl salicylate, 107, 133, 396
- Isoamyl valerate, 202, 378
- Isoamyl valerianate, 378
- Isobutyl acetate, 108, 202, 397
- Isobutyl benzoate, 108
- Isobutyl butyrate, 202
- Isobutyl *n*-butyrate, 397
- Isobutyl carbinol, 395
- Isobutyl cinnamate, 108
- Isobutyl formate, 397
- Isobutyl *o*-hydroxybenzoate, 109, 398
- Isobutyl isobutyrate, 397
- Isobutyl isovalerate, 397
- Isobutyl phenyl acetate, 108, 398
- Isobutyl propionate, 398
- Isobutyl quinoline, 109
- α -Isobutyl quinoline, 109
- Isobutyl salicylate, 109, 398
- Isobutyl α -toluate, 108, 398
- Isobutyl valerate, 397
- Isoestragole, 86, 378
- Isoeugenol, 203, 398
- Isoeugenol methyl ether, 405
- Isopentyl benzoate, 85
- Isopentyl formate, 378
- Isopentyl phenylacetate, 86
- Isopentyl propionate, 86
- Isopentyl salicylate, 133
- Isopropanol, 212
- Isopropyl alcohol, 212
- Isopropyl anthranilate, 109
- Isopropyl-4-methylcyclohexan-2-ol, 402
- 4-Isopropyl-1-methylcyclohexan-3-one, 402
- 1-Isopropyl-4-methylcyclohex-2-yl acetate, 403
- p*-Isopropyl- α -methylhydrocinnamic aldehyde, 143
- p*-Isopropyl- α -methyl phenylpropyl aldehyde, 143
- Isopropyltoluene, 99
- Jacynth, 163
- Jasmine, 47, 163, 427
aldehyde, 85, 133
perfume formula, 237–238
- Jasminoides* (genus), 162
- Jasminum officinale*, 47, 163, 427
- J. grandiflorum*, 163, 427
- Jonquil (daffodil), 164, 427
perfume formula, 239
- Juglans californica*, 438
- J. cinerea*, 185, 438
- J. hindsii*, 185, 438
- J. nigra*, 185, 438
- J. regia*, 185, 438
- Juice, flavor formula, 313
- Juleps, color, 219
- Juniper berry, 48
wood, 30
- Juniperus* (genus), 419
- J. communis*, 48
- J. oxycedrus*, 30

HANDBOOK OF PERFUMES AND FLAVORS

- J. sabina*, 65
J. virginiana, 34
 Karaya gum, 222
 Kautschin, 399
 Kenneth, J.H., 14
 Kernel, 427. See also Nuts
 Ketchup, 193, 419
 color, 219
 flavor formula, 313
 Ketones, 22, 76
 β -Ketopropane, 209
 Kino, 217
 Kola, flavor, 188
 nut, 421
 Kummel, flavor formula, 314

 Labdanol, 108
 Labdanum, 36
 Lactic acid, 109
 Lactone, 76
 γ -Lactone, 152, 155
 Larixinic acid, 402
Lathyrus latifolius, 168
 L. odoratus, 168, 436
 Laturaldehyde, 82, 399
 Laurel, 48
 Lauric acid, 110
 Lauric aldehyde, 82, 198, 399
 Laurine, 146, 394
Laurus nobilis, 48
 Lauryl acetate, 78, 375
 Lauryl alcohol, 80
 Lauryl aldehyde, 198, 399
 Lavandin, 48
Lavandula latifolia, 427
 L. officinalis, 48, 164, 427
 L. spica, 66, 427
 L. vera, 48, 164, 427
 Lavender, 48, 164, 427
 flavor formula, 314
 perfume formula, 239–241
 spike, 66
 Lazurite, 218
 Leaf-green, odors, 158
 Leather, perfume formula, 241
Lecano raceal rocellaceae, 216
 Lees, 308, 412
 Lemon, 49, 427
 color, 219
 flavor, 178
 flavor formula, 314–316
 Lemongrass, 49
 Lemonol, 145, 391
 Lepidine, 149
Levisticum officinalis, 50
 Lichenic acid, 104
 Licorice, 427
 color, 219
 flavor, 186
 flavor formula, 316
 Lilac, 164, 427
 perfume formula, 241–243
 Lilacin, 411
Lilium (genus), 427
 Lily, 427
 perfume formula, 243
 Lily of the valley, 164, 428
 perfume formula, 244
 Lime, 49, 428
 color, 219
 flavor, 178
 flavor formula, 316–317
 tree, 165
 Limonene, 399
 Linaloe wood, 50
 Linalol, 147, 399
 Linalool, 110, 147, 203, 399
 Linalool oxide acetate, 100
 Linalyl acetate, 110, 148, 203, 400
 Linalyl benzoate, 400
 Linalyl butyrate, 110, 203, 400
 Linalyl cinnamate, 111
 Linalyl formate, 111, 400
 Linalyl isobutyrate, 400
 Linalyl propionate, 111, 401
 Linalyl valerianate, 111
 Linden, 165
 Linnaeous, 4
Lippia citriodora, 70, 170
 L. triphylla, 70
 Liqueur, 188, 353
Liquidambar orientalis, 67
 Liquor, 188
Lüsesea cubeba, 50
 Locust bean gum, 222
 Loganberry, flavor, 179
Lonicera (genus), 163
 L. bertholeti, 169
 L. caprifolium, 426
 L. fragantissima, 426
 L. peryclymenum, 426

INDEX

- L. sempervirens*, 426
- L. tatarica*, 426
- L. uliginous*, 169
- Lotus corniculatus*, 169
- Lovage, 50
- Lycopersicum esculentum*, 193
- Macadamia (*Macadamia*)
 - M. ternifolia*, 185
 - flavor, 185
- Mace, 50
- Macrocytis pyrifera*, 171
- Magnesium carbonate, 401
- Magnolia (*Magnolia*), 165, 428
 - M. acuminata*, 165, 428
 - M. grandiflora*, 165, 428
 - M. macrophylla*, 165, 428
 - M. tripetala*, 165, 428
 - M. virginiana*, 165, 428
 - perfume formula, 243
- Maize oil, 210
- Malayan camphor, 381
- Malic acid, 111, 401
- Mallow flowers, 217
- Mallow hibiscus*, 24
- Malonic acid, 401
- Malonic ester, 389
- Malt, 428
 - flavor formula, 317–318
- Maltol, 402
- Maltose, 428
- Malus* (genus)
 - M. baccata*, 175, 415
 - M. pumila*, 175, 415
 - M. sylvestris*, 175, 415
- Malva silvestris*, 217
- Mandarin, 51, 428
 - flavor, 179
 - flavor formula, 318–319
- Mangifera indica*, 183, 428
- Mango, 428
 - flavor, 183
 - flavor formula, 319
- Maple, 428
 - color, 219
 - flavor, 186
 - flavor formula, 319
- Marasca, 429
- Maraschino, 429
 - flavor formula, 320
- Marine scents, 171
- Marjoram, 51, 429
- Marjorana hortensis*, 429
- Marshmallow, flavor formula, 320
- Masking agents, perfume formula, 231
- Mate, 51
- Matricaria chamomile*, 35, 419
- Maydol, 210
- Mayflower, 164
- Mayonnaise, 429
 - color, 219
 - flavor formula, 320–321
- Mazola oil, 210
- Meat, flavor formula, 321
- Medicine, uses in, 15–16
- Melaleuca leucadendron*, 30
 - M. viridiflora*, 54
- Melilotus alba*, 160
 - M. indica*, 160
 - M. officinalis*, 160
- Melissa (*Melissa*), 27
 - M. officinalis*, 27, 416
- Melon, 429
 - flavor, 179
 - flavor formula, 321–322
- Mentha (*Mentha*), 429
 - M. arvensis*, 60
 - M. citrata*, 52
 - M. piperita*, 60, 429, 432
 - M. pulegium*, 59
 - M. spicata*, 66, 429
 - camphor, 402
 - cream, flavor formula, 322
 - p*-Mentha-1,8-diene, 399
 - p*-Menthanol, 402
 - 3-*p*-Menthanol, 402
 - 1-*p*-Menthan-3-one, 402
 - 3-*p*-Menthane, 402
 - p*-1-Menthen-8-ol, 155, 411
 - p*-8-Menthen-1-ol, 155, 411
 - Menthol, 112, 203, 402
 - Menthol acetic ester, 112, 403
 - Menthone, 112, 402
 - Menthyl acetate, 112, 403
 - Methanedicarbonic acid, 401
 - Methanedicarboxylic acid, 401
 - Methanol, 113
 - 4-Methoxybenzaldehyde, 378
 - p*-Methoxybenzaldehyde, 87, 133, 378
 - Methoxybenzene, 87
 - p*-Methoxybenzyl acetate, 88
 - p*-Methoxybenzyl alcohol, 87

HANDBOOK OF PERFUMES AND FLAVORS

- p*-Methoxybenzyl formate, 88
 3-Methoxy-4-hydroxybenzaldehyde, 130, 412
 Methoxynaphthalene, 413
 2-Methoxynaphthalene, 131
p-Methoxy phenylbutyl acetate, 112
 1-Methoxy-4-(1-propenyl) benzene, 378
p-Methoxypropenyl benzene, 86
 2-Methoxy-4-(2-propenyl) phenol, 391
 2-Methoxy-4-propenylphenol, 398
 Methoxy protocatechuic aldehyde, 156, 412
 4-Methoxytoluene, 143
 Methyl acetate, 403
 Methylacetic acid, 122
 Methyl alcohol, 113
 Methyl 2-aminobenzoate, 113, 148, 403
 Methyl *o*-aminobenzoate, 113, 148, 403
 Methyl anisate, 113
p-Methylanisole, 143
 Methyl anthranilate, 113, 148, 203, 403
 Methyl *m*-anthranilate, 204
 Methyl benzoate, 113, 404
 α -Methylbenzyl acetate, 126
 3-Methylbutanoic acid ethyl ester, 388
 3-Methylbutanoic acid methyl ester, 406
 1-Methylbutanol, 377
 3-Methyl-1-butanol, 395
 Methyl butyrate, 114, 404
 Methyl cinnamate, 114, 404
 Methyl cinnamylate, 114, 404
 Methyl *p*-cresol, 143
 2-Methylundecanal, 83
 3,4-(Methylenedioxy) benzaldehyde, 106, 145, 394
 Methylene ether allyldioxybenzene, 410
 Methylene ether *m*-allylprocatechin, 410
 Methyl ether protocatechuic aldehyde, 130
 Methyl eugenol, 114, 204
 Methyl glycol, 213
 6-Methyl-5-heptene-2-one, 404
 Methyl heptenone, 404
 Methyl heptyne carbonate, 149, 204, 405
 Methyl hexyl carbonyl acetate, 115
 Methyl *o*-hydroxybenzoate, 115, 150, 406
 Methylhydroxyisopropylcyclohexane, 402
 Methyl ionone, 405
 Methyl isoeugenol, 204, 405
 1-Methyl-4-isopropenyl cyclohexan-1-ol, 155, 411
 Methylisopropylbenzene, 99
 1-Methyl-4-isopropylcyclohexan-3-one, 402
 1-Methyl-4-isopropyl-1-cyclohexen-8-ol, 155, 411
 Methyl isovalerate, 406
 Methyl *p*-methoxybenzoate, 113
 5-Methyl-2-(1-methyl) cyclohexanol acetate, 403
 1-Methyl-4-(1-methylethenyl)cyclohexene, 399
 Methyl (1-methylethyl) benzene, 99
 5-Methyl-2-(1-methylethyl) cyclohexanol, 402
 5-Methyl-2-(1-methylethyl)cyclohexanone, 402
 Methyl β -naphthyl ether, 131, 413
 Methyl naphthyl ketone, 406
 Methyl nonyl acetaldehyde, 204
 Methyl *n*-nonyl acetaldehyde, 83
 Methyl 2-octynoate, 149, 405
 Methyl phenyl acetate, 115, 204, 406
 Methyl phenyl carbonyl acetate, 126
 Methyl phenyl ether, 87
 Methyl phenyl glycidate, 205
 Methyl phenyl ketone, 132
 Methyl 3-phenyl propenoate, 114
 Methyl 3-phenyl propionate, 404
 Methyl propanoic acid ethyl ester, 388
 Methyl protocatechuic aldehyde, 156, 412
p-Methyl quinoline, 149
 6-Methyl quinoline, 149
 Methyl salicylate, 115, 150, 406
 Methyl styryl ketone, 137
 Methyl α -toluate, 115
 Methyl α -toluate, 406
 Methyl tolyl ether, 143
 2-Methylundecanal, 83
 Mezial, 190
Michelia champaca, 35
 Mignonette, 52, 165, 429
 perfume formula, 243
 Milk, flavor, 191
 caramel, flavor formula, 323
 Mimosa, 52, 165, 429
 M. acacia, 429
 perfume formula, 243
 Mineral oil, 374
 Mint, color, 219
 flavor formula, 323
 Mirabelle, 429
 flavor formula, 323
 Mock orange, 169, 436
 Monard, 52
Monarda, 416
 M. didyma, 416
 M. punctata, 52
 Moon flower, 166

INDEX

- Morning glory, 166
Morus alba, 179, 430
 M. nigra, 179, 430
 M. rubra, 179, 430
Moschus moschiferus, 53, 430
 Moss, 166, 430
 perfume formula, 243
 Muguet, 164, 430
 for cream, flavor formula, 324
 perfume formula, 244
 Mulberry, 430
 flavor, 179
 flavor formula, 324
Musa paradisiaca, 182, 416
 M. sapientum, 416
 Mushroom, flavor formula, 324–325
 Musk, 53, 166
 ambrette, 115, 150
 as fixative, 173
 deer, 166, 430
 ketone, 115, 151
 malman, 151
 perfume formula, 244–245
 xylene, 151
 xylo, 116, 151
 Musky odors, 158
 Mustard, 53
 flavor, 192
 Müller, 13
 Myrcene, 116
 Myristaldehyde, 83
Myristica fragrans, 50, 55, 431
Myrocarpus frondosus, 30
Myroxylon balsamum, 68
 M. pereirae, 61
 Myrrh, 53
Myrrhis odorata, 420
 Myrtle, 53
Myrtus communis, 53

 β -Naphthol ethyl ether, 407
 β -Naphthol isobutyl, 205
 β -Naphthol methyl ether, 131, 413
 β -Naphthyl ethyl ether, 205, 407
 perfume formula, 247
 β -Naphthyl methyl ether, 413
 perfume formula, 247
 Narceol, 142
 Narcissus (*Narcissus*), 54, 167, 430
 N. jonquilla, 164, 427
 N. odoratus, 164, 427
 N. poeticus, 54, 167, 430
 N. pseudo-narcissus, 167, 430
 N. tazetta, 167, 430
 perfume formula, 245–246
 Nectarine, 180, 430
 flavor formula, 325
Nepeta cataria, 54
 Neral, 96, 140
 Nerol, 116, 152, 205, 407
 Neroli, 54, 167, 430, 431
 oil, artificial, 148, 403
 perfume formula, 246–247
 Nerolin 11, 116, 205, 407
 perfume formula, 247
 Neryl acetate, 117
 Neutroleum deodorizing perfume, perfume formula, 247
 New mown hay, 160, 430
 perfume formula, 248
 Niaouli, 54
Nicotiana affinis, 169
 N. petunoids, 169
 N. tabacum, 68, 169, 437
 Niobe oil, 113, 404
 Nitro compounds, 74, 76
 Nitrogenous compounds, 23
 Noisette, 430
 flavor formula, 325
 γ -Nonalactone, 84, 152, 376
 Nonanal, 81, 205
n-Nonanoic acid, 117
 Nonanoic acid ethyl ester, 390
 Nonanol, 205
 1-Nonanol, 79
 Nonanolide-1,4, 84, 376
 3-Nonanyl acetate, 102
 Nonoic acid, 117
n-Nonyl acid, 117
 Nonyl acetate, 77, 375
 Nonyl alcohol, 79
n-Nonyl alcohol, 205
 Nonyl aldehyde, 205
n-Nonyl aldehyde, 81
n-Nonylic acid, 117
 γ -Nonyl lactone, 152
 Nougatine, 431
 flavor formula, 325
 Nut, color, 219
 flavor formula, 326
 pistachio, flavor formula, 341–342

HANDBOOK OF PERFUMES AND FLAVORS

- Nutmeg, 50, 55, 431
 flavor formula, 325
- Oakmoss, 55, 166
- Ocimum basilicum*, 27
- γ -Octalactone, 117, 407
- Octanal, 81
- Octanoic acid, 93
- Octanoic acid ethyl ester, 387
- 1-Octanol, 79
- Octene, 117
- Octyl acetate, 77, 206, 375
- Octyl alcohol, 79
- n*-Octyl alcohol, 206
- n*-Octyl aldehyde, 206
- Octyl butyrate, 206
- Octylene, 117
- Ocymene, 118
- Odor, aperitif, 12
 balsamic, 12, 157
 body, 12
 citrus, 157
 classification, general, 13–16
 classification, historical, 4–11
 classification, historical, Amoore, 11
 classification, historical, Aristotle, 4
 classification, historical, Billot, 11
 classification, historical, Cerbelaud, 9
 classification, historical, Croker and Henderson, 9
 classification, historical, Fourcroy, 4
 classification, historical, Gattefossé, 9–10
 classification, historical, Henning, 8
 classification, historical, Linnaeus, 4
 classification, historical, Piesse, 5, 6
 classification, historical, Redgrove, 11
 classification, historical, Rimmel, 5
 classification, historical, Zwaardemaker, 7
 concentration, 14
 determination, 14
 disgusting, 12
 fatty, 158
 flowery, 157
 grassy, 158
 green-floral, 158
 harsh-pungent, 158
 herb-like, 158
 history of, 1–2, 4–11
 irritating, 13
 leaf-green, 158
 musky, 158
 odorless-faint, 158
 subjective classification, 12–13
 theory, 14
 waxy, 159
 woody, 159
- Odorless-faint, odors, 158
- Oenanthaldehyde, 81
- Oenanthic acid, 106
- Oenanthic ether, 389
- Oenanthol, 81, 201
- Oenanthylic acid, 106
- Oil garlic, 84
- Oil of grapes, 389
- Oleum vitis viniferae, 389
- Olibanum, 55
- Onion, 56, 431
 flavor, 193
 flavor formula, 326
- Opopanax, 56, 431
 perfume formula, 248–249
- Optal, 122
- Orange, 431
 bitter, 56, 326
 blossom, 167
 blossom, perfume formula, 249
 color, 219
 flavor, 179
 flavor formula, 326–329
 flower, 57
 flower, perfume formula, 249–250
 mock, 169
 sweet, 57, 327
- Oranger liquid, 406
- Orchid, 167, 431
 perfume formula, 250
- Oregano, 57
 flavor formula, 329
- Orgeat, flavor formula, 303
- Origanum dictamnus*, 422
O. marjorana, 51
O. vulgare, 57, 429
- Origin of extraction, 13
- Orris (*Orris*), 58, 426
O. pallida, 58
 root, 431
 root, perfume formula, 250–251
- Osmanthus (*Osmanthus*), 58
O. fragrans, 58
- Oxalic acid, 118
- 3-Oxobutanoic acid ethyl ester, 100, 385
- 1,1-Oxybisbenzene, 144

INDEX

- Palatone, 402
 Palmarosa, 58
 flavor formula, 305
 Pansy, 170
 Papaya, flavor, 183
 Paprika, 217
 flavor, 193
 Parsley, 58
 Parsnip, 59
 Pasteurization, 191
Pastinaca sativa, 59
 Patchouli, 59, 167, 432
 perfume formula, 251
 Pea, 432
 sweet, 436
 sweet, flavor formula, 336–337
 Peach, 432
 color, 220
 flavor, 180
 flavor formula, 329–333
 kernel, flavor formula, 337
 Peach aldehyde, 83, 155, 376
 Peanut, flavor, 185
 Pear, 432
 flavor, 180
 flavor formula, 333–336
 oil, 377
 Pecan, flavor, 185
 Pectin, 223
 Pelargol, 99
 Pelargonaldehyde, 81
 Pelargonic acid, 117
 Pelargonic alcohol, 79
Pelargonium domesticus, 162, 424
 P. erodium cicutarium, 162
 P. graveolens, 162, 424
 P. odoratissimum, 45
 P. peltatum, 162, 424
 P. robertianum, 162, 424
 Pennyroyal, 59
n-Pentanoic acid, 130
 Pentanoic acid ethyl ester, 388
 1-Pentanol, 377
 2-Pentanol, 377
 Pentyl acetate, 377
 Pentylcarbinol, 394
 α -Pentyl cinnamaldehyde, 85
 α -Pentyl cinnamic aldehyde, 133
 Pepper, black, 60
 black, flavor formula, 279–280
 Peppermint, 432
 arvensis, 60
 camphor, 402
 flavor formula, 337, 357
 piperita, 60
 Perfume, early history of, 2
 fixatives for, 173
 formulas, for cologne, 245
 formulas, for cosmetic cream, 253
 formulas, for powder, 244, 245, 251, 252, 253, 260
 formulas, for soap, 227, 228, 229, 230, 231, 232, 234, 235, 237, 241, 242, 243, 245, 246, 247, 249, 251, 254, 256, 257, 259, 260, 261
 formulation, 173
 industry, 3
 industry products, 3
 new suggested, 172
 Perilla (*Perilla*), 61
 P. frutescens, 61
 Pernambuco, 217
Persea americana, 182, 416
 Persic oil, 432
 Persicol, 155, 376
 Persicot, flavor formula, 337
 Peru balsam, 61
 Petit muguet, 72
 Petitgrain, 61, 431
 Petrohol, 212
Petroselinum hortense, 58
 P. sativum, 58
 Phenethyl acetate, 118, 153, 408
 β -Phenethyl acetate, 118
 Phenethyl alcohol, 154, 207, 408
 Phenethyl anthranilate, 119, 409
 Phenethyl butyrate, 119, 409
 Phenethyl cinnamate, 120
 Phenethyl formate, 120
 Phenethyl phenyl acetate, 120
 Phenethyl propionate, 120, 409
 β -Phenethyl propionate, 120
 Phenethyl salicylate, 121
 β -Phenethyl salicylate, 121
 Phenol esters, 23
 Phenols, 23, 76
 Phenoxybenzene, 100, 144
 Phenyl acetaldehyde, 118, 152
 Phenyl acetate, 407
 Phenyl acetic acid, 118, 153, 408
 Phenylacrolein, 140
 β -Phenyl acrylic acid, 139

HANDBOOK OF PERFUMES AND FLAVORS

- γ-Phenylallyl alcohol, 139
- Phenylallylic alcohol, 139
- 4-Phenyl-3-buten-2-one, 137
- Phenyl carbinol, 135, 380
- α-Phenyl cinnamic aldehyde, 133
- 2-Phenylethanol, 154, 408
- 1-Phenylethanone, 132
- Phenyl ether, 100, 144
- Phenylethyl acetate, 118, 153, 206, 408
- 2-Phenyl ethyl acetate, 408
- β-Phenylethyl acetate, 153
- sec-Phenylethyl acetate, 126
- Phenyl ethyl alcohol, 119, 154, 207, 408
- β-Phenyl ethyl alcohol, 154
- Phenylethyl *o*-aminobenzoate, 119, 409
- Phenyl ethyl anthranilate, 119, 409
- Phenyl ethyl butyrate, 119, 409
- Phenyl ethyl cinnamate, 120
- Phenyl ethyl formate, 120
- Phenyl ethyl phenyl acetate, 120
- Phenyl ethyl propionate, 120, 207, 409
- Phenyl ethyl salicylate, 121
- Phenyl ethyl α-toluate, 120
- Phenyl formic acid, 379
- Phenyl methanol, 135, 380
- Phenyl methyl acetate, 89, 134, 379
- Phenyl methyl ester, 136
- Phenyl methyl ketone, 132
- 3-Phenylpropanal, 383
- 3-Phenyl-2-propenal, 140
- 3-Phenyl propenoic acid, 139
- 3-Phenyl-2-propenoic acid, 136
- 3-Phenyl-2-propenoic acid ethyl ester, 102
- 3-Phenyl-2-propenoic acid phenyl methyl ester, 89
- 3-Phenyl-2-propen-1-ol, 139
- 3-Phenyl-2-propen-1-yl acetate, 95
- 3-Phenyl-2-propen-1-yl formate, 95
- Phenyl propyl acetate, 121
- 3-Phenyl-1-propyl acetate, 121
- Phenyl propyl alcohol, 121
- Phenyl propyl aldehyde, 201
- Phenyl propyl butyrate, 121
- Phenyl propyl formate, 122
- 3-Phenyl-1-propyl formate, 122
- Philadelphus virginialis*, 169, 436
- Phoenix dactylifera*, 177, 422
- Phylum cyanophyta*, 171
 - P. phacopyta*, 171
 - P. rodophyta*, 171
- Physeter macrocephalus*, 24
- Phytolaceae americana*, 217
- Picea alba*, 66
 - P. nigra*, 66
- Pickle, 432
 - spice, flavor formula, 338
- Pieplant, 434
- Piesse, G., 4
- Pimenta officinalis*, 61, 414, 433
- Pimento, 61, 414, 433
- Pimpinella anisum*, 25, 415
- Pine, 62, 433
 - dwarf, 40
 - perfume formula, 251
- Pine needle, 62, 167
 - perfume formula, 251
 - Siberian, perfume formula, 252
- Pineapple (anasas), 433
 - flavor, 183
 - flavor formula, 338–341
- Pinene, 122
- Pinus banksiana*, 167, 433
 - P. heterophylla*, 69
 - P. lambertiana*, 167, 433
 - P. palustris*, 62, 69, 167, 433
 - P. ponderosa*, 62, 167, 433
 - P. pumilio*, 40
 - P. strobus*, 167, 433
 - P. sylvestris*, 62
- Piper cubeba*, 39
 - P. nigrum*, 60
- Pipernol, 145
- Piperonal, 106, 145, 201, 394
- Piperonyl aldehyde, 106, 145, 394
- Pistachio, 433
 - color, 220
 - flavor, 185
 - flavor formula, 341–342
- Pistacia vera*, 185, 433
- Pisum sativa*, 432
- Plantain, 182, 416
- Plum, 429
 - color, 220
 - flavor, 180
 - flavor formula, 343–345
- Plumeria acutifolia*, 161, 423
 - P. alba*, 161, 423
 - P. rubra*, 161, 423
- POE (20) sorbitan oleate, 213
- Pogostemon cablin*, 59, 432
 - P. hyeneanus*, 167, 432
- Pokeberry, 217

INDEX

- Polianthes tuberosa*, 69, 169, 437
 Polysorbate 80, 213
 Pomegranate, 425
 flavor, 181
 flavor formula, 345–346
 Potato, 433
 flavor formula, 346
 sweet, 433
 Pound cake, flavor formula, 346
 Powdered flavors, formula, 346
 Praline, flavor formula, 303, 347
 Propanoic acid diethyl ester, 389
 Propanedioic acid, 401
 1,2-Propanediol, 213
 1,2,3-Propanetriol, 212, 393
 1,2,3-Propanetriol triacetate, 212
 Propanoic acid, 122
 Propanoic acid propyl ester, 410
 Propanol, 122
 1-Propanol, 122
 2-Propanol, 212
 2-Propanone, 209
p-Propenyl anisole, 378
 5-(2-Propenyl)-1,3-benzodioxole, 410
 Propenyl guaiacol, 204, 405
 4-Propenyl guaiacol, 398
 Propenyl hydrate, 393
p-Propenylphenyl methyl ether, 378
 Propenylveratrole, 405
 Propionic acid, 122
 Propyl acetate, 409
 Propyl alcohol, 122
 Propylene glycol, 213
 Propyl formate, 123
 Propyl formic acid, 382
 Propylic alcohol, 122
 Propyl propionate, 410
 Proteinic flavor formula, 347
 Protocatechualdehyde-3-methyl ether, 130, 156,
 412
 Protocatechuic aldehyde methylene ether, 106,
 145, 394
 Prune, 180–181, 433
 color, 220
 Prunelle, 433
 flavor formula, 347
 Prunolide, 84, 376
Prunus amara, 414
 P. americana, 180, 425, 429
 P. amygdalus, 414
 P. armeniaca, 175, 415
 P. avium, 176, 420
 P. cerasifera, 180, 425, 429
 P. cerasum, 420
 P. cerasus, 176
 P. communis, 24, 414
 P. domestica, 180, 425, 429, 433
 P. institia, 180, 425, 429
 P. myrobalan, 425, 429
 P. ornamental, 180
 P. persica, 180, 432
 P. persica nectarina, 430
 P. salicina, 180, 425, 429
 Prussic acid, 184
Psidium brazil, 183
 P. castilianum, 183
 P. gujava, 183, 425
 P. lemon guava, 183
 P. strawberry, 183
Pterocarpus marsupium, 217
 Pulegone, 123
 Pulque, 190
Punica granatum, 181, 425
 Pura nut, 184
 Pyroacetic ether, 209
 Pyroligneous acid, 123
 liquor, 123
 vinegar, 123
Pyrus calleryana, 180, 432
 P. communis, 180, 432
 P. pyrifolia, 180, 432
 P. usuriensis, 180, 432

 Quassia (*Quassia*), 433
 Q. amara, 433
 Queensland nut, 185
 Quinaldine, 149
 Quince, 434
 color, 220
 flavor, 181
 flavor formula, 347–348

 Raisin, 434
 flavor formula, 348
 Raldeine, 405
 Raspberry, 434
 color, 220
 flavor, 181
 flavor formula, 348–353
 Raspberry aldehyde, 84
 Ratafia, 353
 Red currant, flavor, 181

HANDBOOK OF PERFUMES AND FLAVORS

- Redgrove, H.S., 11
 Reseda (*Reseda*), 52, 165
 R. odorata, 52, 165, 429
 Reuniol, 410
Rhamnus cathartica, 215
Rheum rhaponticum, 434
 Rhodinol, 123, 207, 410
 Rhodinyol acetate, 124, 207
 Rhodinyol butyrate, 207
 Rhodinyol formate, 124
 Rhodium, flavor formula, 353
 Rhubarb, 434
Ribes grossularia, 177, 425
 R. hirtillum, 177, 425
 R. nigrum, 176, 422
 R. odoratum, 422
 R. physalis, 425
 R. rubrum, 181, 422
 R. uva-crispa, 425
Ricinus communis, 419
 Rimmel, E., 5
Robinia kelseyi, 222
 R. neomexican, 222
 R. pseudoacacia, 222
 R. viscosa, 222
 Roman chamomile, 35
 Root beer, 434
 color, 220
 flavor formula, 353
Rosa centifolia, 168, 434
 R. damascena, 62
 R. eglanteria, 422
 R. gallica, 62
 R. muscosa, 434
 R. rubiginosa, 422
 R. setigera, 434
 Rosacetol, 154
 Rose, 62, 168, 434
 crystals, 154
 flavor formula, 353
 oxide, 155
 perfume formula, 252–256
 wild, 422
 Rosemary, 63, 434
 flavor formula, 353
 Roseol, 410
 Rosewood, 63
Rosmarinus officinalis, 63, 434
Rubricaulis galbaniflora, 44
Rubus idacus, 181, 434
 R. neglectus, 181, 434
 R. occidentalis, 176, 181, 417, 434
 R. strigosus, 181, 434
 R. ursinus, 179
 Rue, 63
 Rum, 434
 flavor, 188
 flavor formula, 353–355
 Jamaica, flavor formula, 354
Ruta graveolens, 63
 Sabinene, 124
Saccharum officinarum, 411, 436, 439
 Safflower, 217
 Saffron, 63, 217, 434
 flavor, 193
 Safrole, 124, 410
 Sage, 64, 434
 clary, 37
 color, 220
 Saint John's Bread, 435
 flavor formula, 355
 Sake, 190
 Sal ethyl, 103, 390
 Salicylic acid, 125
 Salicylic acid benzyl ester, 137
 Salicylic acid ethyl ester, 390
 Salicylic ether, 103, 390
Salvia officinalis, 64, 435
 S. sclarea, 37
Sambucus canadensis, 422
 Sandalwood, 64, 218, 435
 perfume formula, 256
 Santal, perfume formula, 256
 Santalene, 125
 Santalol, 125
Santalum album, 64, 218, 435
 Santalyl acetate, 125
 β -Santalyl acetate, 125
 Santene, 126
Sargassum bacciferum, 171
 Sarsaparilla, 64, 435
 color, 220
 flavor formula, 355
 Sassafras (*Sassafras*), 65
 S. officinalis, 65
 flavor formula, 355–356
 perfume formula, 257
Satureja hortensis, 65
 Sauce, flavor formula, 356
 soy, flavor formula, 356
 Worcestershire, flavor formula, 373

INDEX

- Saussurea lappa*, 38
 Savin, 65
 Savory, 65
 flavor formula, 356
 Scotch, 435
 smoke, flavor formula, 357
 Seaweed, 171, 221
 Sebacic acid, 126
 stabilizer, perfume formula, 257
 Sense of smell, 1, 14
 Shaddock, 46
 Shenut, 184
 Shikimol, 410
 Silver fir needle, 65
 Sinapsis oil, 53
 Skatole, 126
 Skimmetin, 129
 Smell, sense of, 1, 14
Smilax aralia hispida, 435
 S. aralia nudicaulis, 435
 S. aristolochiaefolia, 64, 435
 S. indicus, 435
 S. medica, 435
 Smoke, flavor, 193–194
 flavor formula, 357
 Smoking, 185, 193–194
 Soap perfume, perfume formula, 257
Solanum tuberosum, 433
 Solution, 209
 Solvents, 209–213, 374
Soya hispida, 213
 Soybean oil, 213
 Soy oil, 213
 Sparkling wines, 189
Spartium genista, 29
 Spearmint, 66
 Spearmint-wintergreen-peppermint, flavor formula, 357
 Spice, 435
 flavor formula, 357
 Spike lavender, 66
 Spirit, 385
 Spirit of wine, 385
 Spruce, 66
 Stabilizer, 221–224
 for perfume, 257
 Star anise, 26, 435
 Stearoptenes, 18
 Sterculia (*Sterculia*) gum, 222
 S. urens, 222
 Storax, 67
 Strawberry, 435
 color, 220
 flavor, 182
 flavor formula, 358–362
 Strawberry aldehyde, 84, 376
 Styracin, 95
 Styralyl acetate, 126
 Styralyl carbinol, 139
 Styrax (*Styrax*), 67
 S. benzoin, 416
 Styrene, 126
 Styrol, 67, 126
 Styrolene, 126
 Styrone, 139
 Styryl carbinol, 139
 Succinic acid, 127, 410
 Sucrose, 411
 Sugar, 411, 436
 Sulfurous compounds, 74, 76
 Sumatra camphor, 381
 Sweet birch oil, 150, 406
 Sweet brier, 422
 Sweet carbohydrate, 411
 Sweet flag, 31
 Sweet pea, 168, 436
 blossom, perfume formula, 258
 flavor formula, 336–337
 Synthetic essences, 74
 Syringa (*Philadelphus virginialis*), 169, 436
 perfume formula, 258
Syringa vulgaris, 164, 427
 Syrup, flavor formula, 362
 pancake, flavor formula, 362

Tagetes glandulifera, 67
 Tamarind, 67, 436
 flavor formula, 362
Tamarindus indica, 67, 436
Tanacetum horonense, 67
 T. vulgare, 67
 Tangerine, 436
 flavor formula, 363
 Tannic acid, 127
 Tansy, 67
 Tar oil, 30
 Tarragon, 41, 436
 flavor, 193
 flavor formula, 363
 Tartaric acid, 127, 411
 Tartrazine, 218
 Tea, 436

HANDBOOK OF PERFUMES AND FLAVORS

- flavor, 188
- flavor formula, 363–364
- Teaberry oil, 150, 406
- Terpenes, 20, 74, 75
- Terpinelol, 411
- Terpinene, 402
- Terpineol, 128, 155, 411
- α -Terpineol, 155, 207
- β -Terpineol, 155
- γ -Terpineol, 155
- Terpinyl acetate, 128, 412
- Terpinyl formate, 128
- Terpinyl propionate, 128, 208
- Tetradecanoic acid ethyl ester, 389
- n*-Tetradecyl aldehyde, 83
- Tetrahydrogeraniol, 99
- Tetryl formate, 397
- Teucrium chamaedrys*, 424
- Theobroma cacao*, 187, 418
- Theobroma oil, 412
- Thioallyl ether, 84, 376
- 3,3'-Thiobis (1-propene), 84, 376
- Thistle, 436
- Thuja* (genus), 34, 419
 - T. occidentalis*, 34
- Thyme, 68, 437
- Thymol, 128
- Thymus vulgaris*, 68, 437
- Tiglic acid, 129
- Tilia americana*, 165
 - T. cordata*, 165
 - T. lacinata*, 165
 - T. platy phyllos*, 165
- Tincture, 374
- Titanium dioxide, 218
- Tobacco, 68, 169, 437
 - flavor formula, 364–366
 - perfume formula, 258
 - species, 364
- α -Tolualdehyde, 118, 152
- Tolu balsam, 68
- α -Toluic acid, 153, 408
- α -Toluic acid ethyl ester, 390
- α -Toluic aldehyde, 118, 152
- Toluiifera balsamum*, 68
- p*-Toluyaldehyde, 208
- p*-Tolyl acetate, 98, 142
- p*-Tolyl phenyl acetate, 98
- Tomato, flavor, 193
- Tonka bean, 69
- Tonka bean camphor, 97, 142
- Tragacanth gum, 224
- Tree moss, 69, 166
- Treflé, 169, 437
 - perfume formula, 259
- Trefoil, 169, 437
 - perfume formula, 259
- Triacetin, 212
- Triacetyl glycerin, 212
- Trichloromethane, 383
- α -(Trichloromethyl) benzyl acetate, 154
- Trichloromethyl phenyl carbonyl acetate, 129, 154
- Trifolium alsike*, 160
 - T. crimson*, 160
 - T. hybridum*, 160
 - T. incarnatum*, 160
 - T. pratense*, 160
 - T. repens*, 160, 437
- Trigonella foenumgraecum*, 43, 423
- Trihydric (polyhydric) alcohol, 393
- Trihydroxy propane, 212, 393
- endo-1,7,7-Trimethylbicyclo (2,2,1) heptane-2-ol, 138, 381
- 1,7,7-Trimethylbicyclo (2,2,1) heptan-2-ol acetate, 138, 381
- Trimethyl-2-cyclohexenyl-2-buten-2-one, 4-(2,6,6-), 395
- 4-(2,6,6-Trimethyl-1-cyclohexenyl)-3-buten-2-one, 395
- 4-(2,6,6-Trimethyl-2-cyclohexenyl-1-yl)-3-buten-2-one, 147
- Trinitro-butyl-*m*-cresyl methyl ether, 150
- Trinitro-butyl xylene, 151
- 2,4,6-Trinitro-*t*-butyl-*m*-xylene, 151
- 2,4,6-Trinitro-1,3-dimethyl-5-*t*-butyl benzene, 151
- Tsuga canadensis*, 66
- Tuberoses, 69, 169, 437
 - perfume formula, 259
- Turmeric, 39, 218
 - flavor, 194
- Turpentine, 69, 168
- Tutti frutti, flavor formula, 367
- Tween 80, 213
- Ultramarine, 218
- Umbelliferone, 129
- γ -Undecalactone, 83, 155
- Undecanal, 82
- 1-Undecanol, 80
- Undecanolide-1,4, 155, 376

INDEX

- 10-Undecen-1-ol, 80
 10-Undecen-1-yl acetate, 78, 375
 Undecenal, 82, 208
 Undecenyl acetate, 78
 Undecyl alcohol, 80
 Undecylenaldehyde, 82
 Undecylenic acid, 129
n-Undecylenic alcohol, 80
 Undecylenic aldehyde, 82, 208
 Undecylic aldehyde, 82
 γ -Undecyl lactone, 155
 γ -Undelactone, 155, 376
n- γ -Undelactone, 208
 Uny cologne, perfume formula, 259
Urnea barbata, 69, 166

Vaccinium corymbosum, 176, 417
 V. macrocarpon, 177, 422
 V. myrtillus, 417
 V. oxycoccus, 177, 422
 V. pennsylvanium, 176, 417
 V. whortleberry, 417
 Valerian, 70, 437
 flavor formula, 367
Valeriana officinalis, 70, 437
 Valerianic acid, 130
 Valeric acid, 130
 Vanilla (*Vanilla*), 70, 437
 V. planifolia, 70, 187, 437
 beans, flavor, 187
 beans, flavor formula, 368
 color, 220
 flavor formula, 367
 Vanillal, 391
 Vanillic aldehyde, 130, 156, 412
 Vanillin, 130, 156, 208, 412
 flavor formula, 368–369
 Vanzoate, 136, 380
 Vaporous perfume, perfume formula, 259–260
 Vassoura, 70
 Vegetable, fortified extract, flavor formula, 303
 oil, 374
 Veltol, 402
 Venzonate, 136, 380
 Verbena (*Verbena*), 49, 70, 170, 437
 V. erinoides, 170
 V. hybrida, 170, 437
 Vermouth, 438
 flavor, 189
 flavor formula, 369–370
 Vetiver, 71

 Vetiver acetate, 130
Vetiveria zizanoides, 71
 Vetiverol acetate, 130
 Vetivert acetate, 130
 Vetiveryl acetate, 130
 Vinegar, 438
 flavor formula, 370
 naphtha, 211, 385
 Vinylbenzene, 126
Viola canina, 170, 438
 V. odorata, 71, 170, 438
 V. papilionaceae, 170, 438
 V. pedata, 438
 V. tricolor, 170, 438
 Violet, 71, 170, 438
 flavor formula, 370
 perfume formula, 260–261
Vitis aestivalis, 425
 V. labrusca, 425
 V. rotundiflora, 425
 V. vinifera, 177, 425, 438
 V. vulpina, 425
 Vodka, 190
 Volatile oil, 374

 Wallflower, 71, 170, 438
 perfume formula, 261
 Walnut, 438
 flavor, 185
 flavor formula, 370–371
 Water, distilled, 213
 Watermelon, 429
 flavor, 179
 Waxy odors, 159
 Whiskey, color, 220
 flavor, 190
 Wine, 438
 color, 220
 ether, 390
 residue, 412
 sparkling, 189
 Wintergreen, 18, 71, 171, 438
 artificial, 150
 flavor formula, 357, 372
 oil, 150, 406
 oil, synthetic, 406
 perfume formula, 261
 synthetic, 150
 synthetic oil, 115
 Wisteria (*Wisteria*), 171
 W. sinensis, 171

HANDBOOK OF PERFUMES AND FLAVORS

- Wood alcohol, 113
 - spirit, 113
 - vinegar, 123
- Woodbine, 163
- Woodruff, 72, 438
 - flavor, 187
 - flavor formula, 372
- Woody odors, 159
- Worcestershire sauce, 438
 - flavor formula, 373
- Wormseed, 72
- Wormwood, 72, 414
- Wort, 439
- Yara yara, 131, 413
 - perfume formula, 247
- Yellowwood, 218
- Ylang ylang, 72, 171, 439
 - perfume formula, 261–262
- Yogurt, flavor, 191

- Zea mays*, 210
- Zedoary, 439
- Zinc oxide, 219
- Zingiber officinalis*, 45, 424



Handbook of Perfumes & Flavors book. Read reviews from world's largest community for readers. This unique, comprehensive source book provides a thorough ...
Synthetic Essences 74Introduction 74Materials Employed as Odorants 75Chemical Components of Flavors and Perfumes 77
IV. Aromatic Chemicals 132Aromatic Chemicals Used in Flavor and Perfume Compounds 132
V. Perfumes 157Natural Odors Simulated with Aromatic Chemicals 157Simulated Flower Scents 159Simulated Marine Scents (Algae) 171Suggested New Perfumes 172
Fixatives for Perfumes 173
VI. Basic Flavoring Materials 174Introduction 174Natural Flavors Simulated with Synthetic Chemicals 175Aromatic Chemicals Used in Flavor Compounding 195
VII. Buy Handbook of Perfumes & Flavors at Walmart.com.
Handbook of Perfumes & Flavors. Average rating: 0 out of 5 stars, based on 0 reviews. Write a review. Orlando Secondini.
\$176.17 \$176.17 \$176.17 \$176.17. Out of stock. Book Format: Hardcover. Hardcover.